

Not only was it developed at one of the most advanced vehicle research and development facilities in the world, but each Chrysler



Chrysler's Panofino concept car was the first incarnation of cab-forward engineering

gest you begin with a walk around the grounds. Note the wind-

Concorde is in itself something of a mobile design center. We sug-

cheating profile of innovative cab-forward design-longer wheelbase, wider track, aggressively raked windshield. As you step in, observe that cab-forward also enlarges the rear doors for easier entry and exit. Once inside the spacious interior, take a hands-on tour of ergonomically placed controls on the instrument panel, seats, doors and ceiling. (Don't miss the dual front

seat air bags;† they're standard.) Unseen but effective nonetheless, a spectrum of noise-buffering components is at the ready to



The Center for Advanced Automotive Design is now open for family tours.

keep the peace as the whole family takes the road tour. Your guides will be Concorde's powerful V6 engine and a 4-speed auto-

matic transmission that "studies" your driving style and adjusts shift patterns

to accommodate it. For more tour information and the name of

your nearest Chrysler-Plymouth Dealer, call 1-800-4-A-CHRYSLER





Stenna Soodacre is not shy about expressing herself. Her larger-than-life bronzes are acclaimed for the way they capture the poignancy of every- on November 11, 1993, Stenna began work on day life. In 1991, she received the most presligious commission available to sculptors at

that time: the Vietnam Women's Memorial in Washington, D.C. Following its official dedication another masterpiece: the new home she was building in Santa Je. Stenna Soodacre could have had any

windows she wanted. She chose Marvin.

If you want windows that allow you to express yourself in any size, shape, function or style, call 1-800-346-5128 (1-800-263-6161 in Canada) or mail the coupon for a free catalog.

Complete and m	nil to Mar	win Wind	Lows & Down, Warroad, MX 56763.
Хате			
Address			
City		State	- AAADVINI-
Z. ₁	May (1	MARVIN 🥦
1049605A			Made to order Made for you

Chances Are You' ve Already Invited Our Family In to Your Home.



















We're Masco. Maybe the name doesn't ring a bell, but our brands are highly regarded in the home improvement and home furnishing industries. Which is why you should include the Masco family of companies in your next project. For inside and out.

Like Delta® faucets and Aqua Glass® bathtub enclosures. You should also consider Merillat, a Masco company that sells more cabinetry for the home than anyone. And StarMark, which produces a fine line of cabinets for virtually any need and budget. And let's not forget Baldwin® and Weiser® decorative hardware, and interior and exterior locks with their unique lifetime finish.

That's not all. Throughout the house

Henredon, Drexel Heritage and Lexington could furnish everything from dining room tables to living room chairs to bedroom furniture. And Thermador is the perfect choice for cooktops, stoves and refrigerators. You will also find a broad selection of windows and doors at our Emco Window & Door Centre.

As you can see, there's a lot to our

family. Nearly 80 brands. Some are household names and some aren't. But all will add quality to your home. So use the Masco family to create the best for your family.

MASCO
WHERE QUALITY FINDS A HOME™

SMITH • MARBRO • MARCE CARSON • MELARD • MERILLAT • MIXET • PERMA-DOOR • RAMM, SON & CROCKER • ROBERT ALLEN •

HOT SPRING PORTABLE SPAS . HUPPE USA . KINDRED . KRAFTMAID . LA BARGE . LEXINGTON . LINEAGE . MAITLAND.



The ARRIVAL of the FITTEST.





New powerful 190-hp 3.4-liter V6 engine automodes V6 competition's

TACOMA.

A whole NEW line of TRUCKS from TOYOTA.

STRONGER. FASTER. BETTER. That's the GOAL of every competitor.

To OUTPERFORM the field. To be the BEST there is.

Introducing TACOMA. The new BREED of Toyota Truck.

With three totally NEW engines that deliver MORE power up and down the line than ever before. A 4-cylinder 2.4-liter POWERPLANT that outperforms the leading competition's standard V6s, even carrying a half-ton payload.*

And a 3.4-liter V6 that OUTMUSCLES their biggest V6s.** RESPONSIVE handling.

Braking power that stops shorter, FASTER and more CONFIDENTLY.***

Even class-leading 4X4 ground CLEARANCE.

Plus the added SAFETY of a driver-side air bag.1

Altogether, it's the HEART and SOUL of a WINNER.

The new TACOMA has ARRIVED.


And it's every inch a CHAMPION.

Call 1-800-GO-TOYOTA for a BROCHURE and

the location of your NEAREST DEALER.



Class-leading base payload and highest standard towing us. leading competitors



Fronta Mong Sales, U.S.A., Inc. Buckle Up! Do in for those who love you.

comma 4x2 2.41. 5-speed vs. similarly equipped Chery S-67 and Ford Ranges standard Vbs. **USAC-certified acceleration vests. Tacoma 4x4



Choosing materials for the practical kitchen 74

Antique lumber salvaged from the river bottom 82

The exterior paint job that really lasts 90

Making an outdoor fireplace 96

How to sail a house 102

Planting trees for the next millennium 104

Fixing foundations so your house won't fall down 112

Norm Abram builds his timber frame 122

An American porch portfolio 126


Cover photograph by William Mercer Mcleod

MAN 18 A TOOL-USING ANIMAL. WITHOUT TOOLS HE IS NOTHING. WITH TOOLS HE IS ALL. Thomas Carlyle









Introducing the Dulux® Premium Paints from Glidden. Over 6,000 colors. 1-ounce tester pots. Should be just right to get started on any masterpiece.

Three elegant finishes. The largest paint chip on the planet. And innovative For more information or the dealer nearest you, call 1-800-ON-DULUX.

Make each room a masterpiece with

Inspirations™ from Dulux.



contents COlumns

MATERIALS

Alternatives to pressure-treated wood 39



TOOLS

Using a circular saw 43

FIXTURES & FITTINGS

How to install a lockset 49

PROCESS

Laying cable for outdoor lighting 55

TECHNIQUE

Soldering copper pipe 59

FINANCES

Is your contractor insured? 63

departments

Television Listings 16

Additions and Extras 29

Directory 134

Save This Old House 148

misc.

Contributors 14

A Letter from This Old House 71

PLEASE DE CAREFUL: Home renovation and construction is often dangerous, Anyone who works with power tools, in unfinished buildings and up on roofs puts himself or herself in some kind of danger. We try to promote safe work habits in our articles. But what is safe for an experienced struction professional in some circumstances may not be safe for you. Be sure you know what constitutes safe practice if you try anything you learn here (or elsewhere). Ensure your own safety, and that of anyone you're working with, before you begin working.

Thoreau. Places to go.

This lasted until late-autumn Colorado at 10,000 feet. A left at Denver led to manico And a home. Nice.—

-Now you're creating your own terrai

spaces. Perhaps you've found

You were bound for the Rockies, Backpack. Wood I Beam. Moulding. Moving walls, openi

WOOD I BEAM" JOISTS OFFER MORE THAN A LITTLE BREATHING ROOM. THEY GIVE YOU WIDE-OPEN SPACE. UNIMPAIRED BY WALLS OR SUPPORTS. FLOORS BECOME STABLE, AND QUIET, SOUND GOOD? IT'S WHAT YOU SEE HERE, ENHANCED BY G.P. GRAND VIEW, WINDOWS, GRAND PASSAGE, DOORS AND SOUTHERN GOLD PINE FLOORING, G-P MOULDING AND WALLBOARD. FEEL FREE TO TRY THIS AT HOME, CALL 1-800-BUILD-GP (284-5347).



Contributors



I MARK FEIRER (author, "Circular Saws") joined the staff of Fine Homebuilding magazine, later becoming its editor, after years of work in construction. He has written three books and an upcoming CD-ROM on remodeling. His training began in a small custom cabinet shop and progressed to residential construction before he turned to editing. He's now a contributing edi-

tor at Reader's Digest General Books and lives in a

perfectly good house in Connecticut that he's taking apart anyway. 2 MICHEAL P. McLAUGHLIN (photographer, "Salvaging Antique Lumber") grew up in Providence, Rhode Island, in a series of houses under endless renovation. He has taken portraits of people in every occupation: dairy farmers, lighthouse keepers, huntingdog breeders, painters and sculptors. A personal project for several









years has been photographing roadside buildings throughout the South. He now lives in a loft above

a bakery in Brooklyn, New York, 3 JOHN S. SALADYGA (author, "Exterior Painting" and "Treated Wood") is a writer for the home section of Newsday. He lives in East Setauket, New York, in a 1964 split-level home he's been restoring for the past seven years. He got his start helping his family renovate a six-unit frame house in Brooklyn, New York. After deciding to take a




John worked for three years as a contractor renovating Victorian homes in Nyack, New York. 4 PETER BOSCH (photographer, "Exterior Painting"), along with his wife and sons, is in the process of restoring a 1907 former country home in the Catskill Mountains. During the



week, he works as a freelance photographer in New York City and Europe. 6 KEN DRUSE (author,

landscape design. His work has been featured on WGBH-TV's "The Victory Garden." His most recent book is The Natural Habitat Garden (Clarkson N. Potter, 1994). He lives and gardens in and around an 1873 brownstone townhouse in Brooklyn, New York.



house on the coast of Maine between writing projects; it's the latest in a series of whole-house renovations. In an effort to create charm where there was none, he has replaced 15 hollowcore 1950s doors with traditional six-panel pine doors, drilling and fitting each one.



House

Isolde Motley

DESIGN DIRECTOR

Matthew Drace MANAGING EDITOR

John Voelcker SENIOR SOITORS

Thomas Baker, Jeanne Huber, Ben Lloyd CONSULTING ODITOR

Stephen Petranek ABBOGIATE ART DIRECTOR

Timothy W. Jones PROJECT DESIGNER

ART ABBOGIATE

Robert Abranowicz ART PROBUGION MAKAGER

Connie Bigelow COPY EDITOR Nancy McCarrhy

THATBIBBA JAINDTIDS Brooke Deterline

SEBEASON ADITORS Jill Priluck, Lisa Ava Chin

PROOFFEADER Eric Handman

PRODUCTION DIRECTOR Dora Braschi Cardinale

ADVERTISING PRODUCTION MANAGER Joseph Drogo

SUPERIAL PRODUCTION MANAGER George D. Planding

GRADE JAIROTIGS

This Gld House EEECUTIVE PRODUCER/DIRECTOR Russell Morash

Steve Thomas MASTER CARPENTER Norm Abram

SERVICE PRODUCER Bruce Irving

WORK BOSTON VICE PRESIDENT, MATIONAL PROGRAMMING Peter McGhee

EXECUTIVE DISECTOR, PUBLISHING AND PRODUCTS Karen Johnson

PRESIDENT AND PUBLISHER Eric G. Thorkilsen

GENERAL MANAGER

CONSUMER MARKETING DIRECTOR Lauren Podlach Stanich

MARKSTING DIRECTOR Shira Kalish

ROTORNIA DVERTIGING DIRECTOR Daniel E. Magnus

WEST COAST SALES MANAGER Peter Berezney

ABBISTANT TO THE PRESIDENT/PUBLISHER Jean Simone

Advertising Offices New York: 20 West 43ed Stover, New York, NY 10036 (212-522-9465) California: Peter Berersey, Sharon Lombert, 11766 Wilshure Boulevard, Suite 1705, Les Angeles, CA 90025 11706 wunter ausgevan, sone et ist, der miges, de socialistication (January Cyann, 500 West Madison Street, Suite Italia, Chicago, D. 60661 (A) 2-474-5919). Deroic Judy Dennis, Abby Tumbult, 1577 N. Woodward Ave., Suite 200, Boundiedd Hills, Mi 48304 (8) 0-988-7700; Southesse: Misclub R. Associates, 3054 Four Caks Drive, Arlanta, GA 30360 (404-604-9589).

Editorial Officer 20 Wmi 43rd Street, New York, NY 10036 (212-522-9465) Editorial E-mail Terres/Groh, timeine curb Time Publishing Ventures, Inc.

CHAIRMAN AND PRESIDENT Robert L. Miller



television listinas

where and when to see This Old House

ALABAMA

Birmingham WBIQ-TV, Thu, 8:30 pm

Demopolis WIIQ-TV, Thu. 8:30 pm

Dozier
WDIQ-TV,
Thu. 8:30 pm

ARIZONA
Tempe
KAET-TV,
Wad noon

Florence WFIQ-TV, Thu. 8:30 pm

Huntsville WHIQ-TV, Thu, 8:30pm Fairbanks KUAC-TV, Fri. 7:00 pm Sat. 8:00 am

Juneau KTOO-TV, Fri. 12:30 pm

Tempe KAET-TV, Wed. noon Thu. 7:30 pm Sat. 5:00 pm

Tucson KUAS-TV, Sat. 11:00 am and 6:30 pm Mountain View KEMV-TV, Sat. noon Sun. 5:30 pm

> CALIFORNIA Cotati KRCB-TV, Wed. noon Sun. 7:30 pm

Eureka KEET-TV, Wed. 7:30 pm Sat. 10:30 am

Fresno KVPT-TV, Sat, 9:30 am



Louisville WGIQ-TV, Thu. 8:30 pm

Mount Chealta WCIQ-TV, Thu. 8:30 pm

Mobile WEIQ-TV, Thu, 8:30 pm

Montgomery WAIQ-TV, Thu. 8:30 pm

ALASKA Anchorage

Anchorage KAKM-TV, Mon. 6:00 pm Sat. 9:30 am

Bethel KYUK-TV, Sun. 1:00 pm Tucson KUAT-TV, Sat. 11:00 am and 6:30 pm

ARKANSAS Arkadelphia KETG-TV, Sat. noon

KETG-TV, Sat. noon Sun. 5:30 pm

Fayetteville KAFT-TV, Sat. noon Sun, 5:30 pm

Jonesboro KTEJ-TV, Sat. noon Sun. 5:30 pm

Little Rock KETS-TV, Sat. noon Sug. 5:30 pm Huntington Beach KOCE-TV, Sat. 4:30 pm

Los Angeles KCET-TV, Sat. 5:30 pm

Redding KIXE-TV, Sat. 1:30 pm

Sacramento KVIE-TV, Thu, 8:00 pm Sat, 8:30 am

San Bernadino KVCR-TV, Thu. 8:00 pm

San Diego KPBS-TV, Tue, 7:30 pm Sat, 12:30 pm San Francisco KQED-TV, Sat, 5:00 pm

San Jose KTEH-TV, Wed, 9:00 pm

San Mateo KCSM-TV, Tue. 7:00 pm Wed. 3:00 pm Sat. 9:30 am

COLORADO Boulder KBDI-TV.

Mon. 10:00 pm

Wed. 6:00 pm Denver KRMA-TV, Sat. 9:30 am and 2:30 pm

Pueblo KTSC-TV, Thu. 8:00 pm Sat. 2:30 pm

Sun, 5:30 pm

CONNECTICUT Fairfield

WEDW-TV, Wed, 1:30 pm Sat, 8:00 pm Sun, 10:30 am

Hartford WEDH-TV, Wed. 1:30 pm Sat. 8:00 pm Sun. 10:30 am

New Haven WEDY-TV, Wed, 1:30 pm Sat, 8:00 pm Sun, 10:30 am

Norwich WEDN-TV, Wed. 1:30 pm Sat. 8:00 pm Sun 10:30 am

Seaford WDPB-TV, Sat, 11:00 am and 6:00 pm Sun, 8:00 pm

FLORIDA Daytona Beach WCEU-TV, Tue. 9:00 pm

Fort Meyers WSFP-TV, Sat. 1:30 pm Sun. 5:00 pm Gainesville WUFT-TV, Sat. 1:30 pm

Miami WLRN-TV, Thu, 7:30 pm

Miami WPBT-TV, Sat. 2:00 pm

Orlando WMFE-TV, Sat. 9:00 am and 1:30 pm Sun. 9:00 am and 7:00 pm

Pensacola WSRE-TV, Sat. 12:30 pm

Tampa WEDU-TV, Sat, 11:30 am Sun, 7:30 pm

Tampa WUSF-TV, Wed. 9:00 pm Sun. 5:30 pm

West Palm Beach WXEL-TV, Sat, 9:00 am

GEORGIA Arlanta WGTV-TV, Tue. 7:30 pm Sat. 6:30 pm Sun. 8:00 pm

Arianta WPBA-TV, Mon. 8:00 pm Sat. 6:00 pm

Chaisworth WCLP-TV, Tue, 7:30 pm Sat, 6:30 pm Sun, 8:00 pm

Cochran WDCO-TV, Tue, 7:30 pm Sat, 6:30 pm Sun, 8:00 pm

Columbus WJSP-TV, Tue. 7:30 pm Sat. 6:30 pm Sun. 8:00 pm

Dawson WACS-TV, Tue, 7:30 pm Sat. 6:30 pm Sun. 8:00 pm Pelham WABW-TV, Tue. 7:30 pm Sat. 6:30 pm Sun. 8:00 pm

> Waycross WXGA-TV, Tue. 7:30 pm Sar. 6:30 pm Sun. 8:00 pm

Savannah WVAN-TV, Tue. 7:30 pm Sat. 6:30 pm Sun. 8:00 pm

Wrens WCES-TV, Tue. 7:30 pm Sat. 6:30 pm Sun. 8:00 pm

HAWAII Honolulu KHET-TV, Thu. 7:30 pm Sat. 4:00 pm

Wailuku KMEB-TV, Thu, 7:30 pm Sat, 4:00 pm

IDAHO Boise KAID-TV, Sun. 4:30 pm

Cocur d'Alene KCDT-TV, Sun, 3:30 pm

Moscow KUID-TV, Sun, 4:30 pm


Pocatello KISU-TV, Sun. 4:30 pm

Twin Falls KIPT-TV, Sun, 4:30 pm

Chicago WTTW-TV, Tue. 7:30 pm Sar. 11:00 am and 5:00 pm Sun. 6:00 pm

Carbondale WSIU-TV, Thu, 7:00 pm

Urbana WILL-TV, Thu. 7:30 pm Sun. 3:30 pm





In 1988 the 750iL was introduced to the world. The reaction was one of awe from critics and drivers alike. Car and Driver has called it the best sedan in the world."

However, for our engineers there will always be something better on the horizon. And the new 750iL is a shining testament to that fact it is an automobile which fulfills the desires of those drivers who seek the purest form of a luxury sedan.

Representing the heights of safety and luxury, the 750iL utilizes state of the art technology to bring you ever closer to the purity of the driving experience.

A potent 5.4-ter V12 engine coupled to a smooth

five-speed automatic transmission propers you forward with seemingly limitless power An Adaptive Transmission Control automatically picks the optimum gear at all times, while Park Distance Control aids in parking the car a tight spaces via a light warring topps.

n tight spaces via aud bie warning tones

Another first in the industry is our Dynamic Stability
Control, a unique feature which uses computer-aided
electronics to help control lateral traction, which further
increases your confidence on the road

in addition to this multitude of innovative features, the car also has the standard array of safety systems you expect. Our unique Xenon headlamps, yet another first in the industry, place us a step ahead in illumination technology by adding a further dimension to the 750iL's safety by enhancing your nighttime vision.

As for interior appointments, they can accurately be described as the epitome of uxury. Rich walnut paneing and supple Montana leather surround you in a cavernous space that belies the sieek exterior.

Ergonomically designed 16-way power front seats give you the comfort you seek. A unique independently adjustable upper backrest gives you the ability to modify the seat for additional shoulder support.

Finally, the technological sophistication of the 750iL

is matched by an exceptional customer experience. Our comprehensive Full Maintenance Program** provides for all regularly scheduled service costs for four years or 50.000 miles and our Roadside Assistance Plan* gives you 24-hour emergency service. For more information on any aspect of the car, call 1-800-334-48MW.

Simply put, the 750iL represents the height of luxury

Simply put, the 750iL represents the height of luxury in a sedan. Which only makes sense when you consider that our engineers sought to create the very best car in the world. Again

THE NEW 750IL

where and when to see This Old House -

Tacksonville WSEC TV. Thu 10:00 pm

Macomb WMFC TV, Thu. 10:00 pm

Moline WOPT TV. Tue 7:00 pm

Olney WUSI-TV. Thu 7 00 pm

Peopa WIVP IV. Sat 12 30 pm

Quancy WQEC TV, Thu. 10:00 pm

INDIANA Bloomington

WILL IV, Mon. 5:00 pm Thu ... 30 pm Sat. 1 30 pm

Evansville. WNIN TV. Sat 12 30 pm and 6:00 pm Sun 4,30 pm

Fort Wayne WEWA IV Sat. 10.00 am

Indianapolis WEYLTV, Sat 10:00 am Sun. 7:00 pm

Mernllville WYIN TV. Sun 3:30 pm South Bend WMIT-IV. Mon. 10:30 am Sat 2.00 pm

Vincennes WVUT TV. Sat 1:30 pm Sun. 1.30 pm

AWOI Council Bluffs KBIN TV. Fri. 6:30 pm Sat 1 30 pm

Davenport KQCT TV, Tue 7:00 pm

Des Moines KD.N TV Fr: 6:30 pm Sat. 1 30 pm

Fort Dodge KTIN TV, Fri 6: 3^{rt} pm Sat 1 30 pm

Iowa City KIIN TV. Fr. 6.30 pm Sar . 30 pm

Red Oak

KHIN TV.

Fri 6:30 pm

Sat. 1 30 pm

Stoux City

KSIN TV.

Waterloo

KRAN TV.

Fri. 6:30 pm

5at 1 30 pm

STEVE THOMAS

May 2 in Norwick, CT

Eastern Connecticut Community

Foundation's Annua Meeting

September 14 in Caigary, A berta, Canada

Calgary Fal. Flome Show

September 18 in La Plume PA

Public Lecture at Keystone Jun or College

Fri. 6:30 pm

Sat 1 30 pm

Mason City KYIN TV. Fr 6:30 pm Sat | 30 pm

Hazard WKHA TV. Sun. 5:00 pm

> Lexington WKLE TV. Sun. 5:00 pm

Louisville WKMJ TV, Sun 5 00 pm

Louisville WKPC-TV, Wed. 1 30 pm Sat. 1 30 pm

Madisonville WKMA IV, Sun. 4:00 pm

Morehead WKMR TV Sun 5:00 pm

Murray WKMU-TV.

KENTUCKY Ashland WKAS TV. Sun. 5:00 pm

Bowling Green WKGB-TV, Sun. 4:00 pm

KANSAS

Bunker Hill

KOOD-TV

Lakin

Topeka

Wichita

KPTS-TV.

Sat 11 30 am

Sun. 11:00 am

KTWL-TV.

Sar 9:30 am

The 700 pm

Sat 12 30 pm

KSWK TV.

Thu 7:00 pm

Sat 12 30 pm

Bowling Green WRYU TV, Tue 1:00 pm and 6:30 pm

Covington WCVN-TV, Sun 5:00 pm

El zabethtown WKZT TV. Sun. 5:00 pm

MAINE Banyor WMEB TV Sat , 30 pm

Sun 4 00 pm

Owenshoro WKOH TV, San 4:00 pm

Owenton WKON TV. Sun 5:00 pm

Paducah WKPD TV. Sun. 4 00 pm

Pikeville WKPI TV Sun 5:00 pm

Somerset WK5O-TV, Sun. 5:00 pm

LOUISIANA Alexandria K...PA TV. Sat 4:00 pm Sun. 10:00 am

Baton Rouge W.PB TV. Sat 4:00 pm San 10:00 am

Lafayette KLPB-TV. Sar 4:00 pm Sun 10:00 am

5un 10:00 am

New Orleans

WYES TV.

Sat 8 30 am

Calais

WMED TV

5at. 1 30 pm

Lewiston

Portland

WCBB-TV.

Sat 1 30 pm

WMEA IV,

Sac. 1 30 pm

Lake Charles KATLITY, Sat 4 all per Sun 10 00 am

Monroe KI TM TV, 5ar 4:00 pm

> Springfield WCBY TV. The 8 00 pm Sat 5 30 pm

Shreveport KITS TV. Sar 4 00 pm Sun. 10:00 am Sat. 2 30 pm

> Bad Axe WUCK TV. Tue 12 30 pm Sun. 5:00 pm

Codillac WCMV-TV, Sat. 2,30 pm

WTVS-TV. Thu. 8 30 pm Sat. 10:00 am

Presque Isle WMEM TV, Sat. 1 30 pm

MARYLAND Annapolis WMPT TV. Sat. 4 30 pm

Baltimore WMPB TV. Sat 4 30 pm Sun 6 30 pm

Sun. 6 30 pm

Frederick WIPT IV. Sat 4 30 pm Sun 6:30 pm

Hagerstown WWPB TV, Sar 4.30 pm Sun. 6.30 pm

Oakland WGPT TV, Sat 4 30 pm Sun 6 30 pm

Salisbury WCPB-TV. Sat 4 30 pm Sun 6 30 pm

> **MASSACHUSETTS** Boston WGBH-TV, Thu. 8:00 pm

Sac. 5 30 pm Boston WGBX TV, Sun. 9:00 am

and .2 30 pm

MICHIGAN А.репа WCML TV,

Detroit

East Lansing WKAR IV, Thu. 9:00 pm Sat 1 30 pm Sun. 5:00 pm

Flinz WFUM-TV. The 9 00 pm Sat. 1 30 pm

Grand Rapids WGVU TV. Thu. 8:30 pm Sar . 0:00 am

Kalamazoo WGVK IV, Thu. 8 10 pm Sat. 10:00 am

Monistee WCMW-TV. Sat 2.30 pm

Marquette WNMU TV, Sat 1 30 pm

Mount Pleasant WCMU-TV, Sat 2 30 pm

> University Center WUCM TV. Tue 12 30 pm Sun. 5:00 pm

MINNESOTA App eton KWCM TV.

Thu 8:00 pm Sat 12 30 pm

Austin KSMQ-TV, Sat. 12 30 pm

Bermid: KAWE IV, Sat 12 30 pm

Duauch

WD5E TV

5at 6.30 pm

Seen. 9 30 am

St. Paul/

Brainerd KAWBITV Sat. 12 30 pm

Minneapolis KTCA TV. Wed. 7:30 pm Sat 9:30 am. 10 am. and 6 30 pm

MISSISSIPPI Biloxi WMAH-TV. Sar 7:00 pm

Boonevil e WMAE TV. 5pt. 7:00 pm

Rode WMAU TV Sar 7:00 pm

> Greenwood WMAO-TV, Sat. 7:00 pm

WMPN IV.

Sar 7:00 pm Oxford WA AV TV

Sar 7:00 pm

Jackson

Meridian WMAW TV. Sat. 7:00 pm

Mississippi State WYIAR TV. Sar 7 00 pm

MISSOURI

KOZI TV. Spt. 12.30 pm.

Kansas City KCPT-TV, Thu, 7:00 pm Sar. 12.30 pm

Sedalia KMOS-TV. Sat 12 30 pm

Springfield KOZK TV, Sat 12 30 pm

St. Louis KETC TV. Wed 12 30 pm Sat 6:30 pm

MONTANA Boxeman KUSM-TV. Sar 1, 30 am

NEBRASKA

Al rance

Bassett

KINE TV.

Sar 9 30 am

and 4 30 pm

KMNE-TV.

Sat. 10:30 am

and \$.30 pm

KHNE TV.

Sar 10 30 pm

and 5 30 pm

Hastings

Camden WNIS-TV.

Montclair

Lexington KLNE-TV, Sat 10:30 am and 5 30 pm

Lincoln KJON TV. Sat 10 30 am and 5 30 pm

Merranan KRNE IV. Sat 10:30 am and \$ 30 pm

Norfolk KXNE TV. Sat. 10:30 am and 5.30 pm

North Platte KPNE-TV. Sar 10 30 am and \$ 30 pm

Omaha KYNF TV Sat 10:30 am and \$ 30 pm

NEVADA Las Vegas KLVX TV Sat 2 30 pm

Reno KNPB TV. 5at 10:30 am

NEW HAMPSHIRE Darham WENH TV Thu 730 pm 5up 11 00 am

Keene WEKW TV. Thu 7:30 pm Sun 11:00 am

Littleton WLED TV, Thu. 7 30 pm Sur. 11:00 am

NEW JERSEY Tue, 10:00 pm Sat. 8:00 pm Sun. 5,30 pm

WNIN IV. Tue 10:00 pm Sat 8:00 pm Sun. 5-30 pm

New Brunswick WN.B.TV. Tre 10-00 pm Sat 8:00 pm Sun 5 30 pm

Trenton WNJT-TV, Tae, 10:00 pm Sat. 8:00 pm Sun. 5:30 pm

Las Cruces KRWG-TV.

Portales KENW TV. Sat 3:30 pm

NEW YORK Binghamton WSKG-TV Sat 1 30 pm

Buffalo WNED-TV. Sat. 10:45 am

WNEQ-TV, Sun. 7:00 pm

WLAW TV. Sat 10:30 am New York

Norwood WNP TV.

Sar It. 35 am

Schenectady

NEW MEXICO Albumerone KNME-TV. Thu 7 30 pm Sun 10:30 am

Sat 1. 30 am

Buffalo

Garden City

WNET-TV. Sat. 6:00 pm and 6.30 pm

Plattsburgh WOFE IV. Sun. 11 30 am

Rochester WAXI-TV. Sat 10:30 am 566 5 30 pm

WMHT-TV

Tue, I 30 pm Sar 10 30 am Syracuse WON'T TV Thu, 8:00 pm

Sat 10:30 am

Watertown WINDE TV. Sar. 10:30 am

> **NO. CAROLINA** Asheville WUNE TV Sar 53) pm Sun. 9:00 am

Chapel Hill WUNC TV. Sat 5 30 pm Sun 9 00 am

Charlotte WTVI TV. Tue 12.30 pm Thu 8:00 pm Sat. \$-00 pm San. 11:00 am

Charlotte WUNG TV. Sat 5 30 pm Sun 9:00 am

WUND TV. Sar 5 30 pm Sun 9-00 am Greenville

Columbia

WUNK TV Sat 5 30 pm Sun. 9-00 am

> Sar 3 30 pm Sup 9:00 am Linville WUNE TV.

Jacksonville

W. NM TV.

Sat 5 30 pm

So 1 9:00 am

Roanoke Rapids WUNP IV. Sat 5 30 pm San. 9:00 am

W Imington WUNI TV. Sar 5 30 pps Sun. 9:00 and

Winston-Salem

WUNL TV

Sat 5:30 pm

560 9 00 am **NORTH DAKOTA** Bismarck KBMF TV Mon . 0.00 pm

Tue. 10 00 pm

Wed. 10 00 pm

Thu. 7:00 pm

and 10:00 pm

Sat 6:00 pm

Line 2, in Kirkla id, WA Price Costco Whrehouse Time 7 in Edit a MN Barnes & Nobie

> Jane 8, in Overland Park, KS. Borders Bookshop

MARBA MRON

May 3 Santa Monca, CA

Barnes & North

and 9 in St. loa's MO. Larry LTD ang 15, in Boston, MA

Waterstone's June 16, in Trayball CT

Wa denhooks

August 13/14 in Chacago, III. The Hardware Show

Dickinson KOSE TV. Mon 10:00 pm Tue 10 00 pm Wed . 0.00 pm Thu. 7:00 pm and 10:00 pm Sat. 6:00 pm

Ellendale.

Sat 6 00 pm

Sat. 6:00 pm

Fargo

K RE TV. Mor. 10:00 pm Tue: 10:00 pm Wed. 10:00 pm Thu. 7:00 pm and 10 00 pm

KEME-TV. Mon. 10:00 pm Tee 10:00 pm Athens Wed 10 00 pm WOUB IV. Thu 7.00 pm Sat 5:00 pm and 10:00 pm

Grand Forks KGFE TV, Mon . 0.00 pm Tue 10:00 pm Wed 10:00 pm Thu. 7:00 pm ano +0 00 pm Sat 6.00 pm

Minot KSRE TV. Mon. 10:00 pm Tue 10:u0 pm Wed 0:06 pm Thu 7 00 pm and 10-00 pm Sar 6:00 pm

W-Diston KWSE TV. Mon. 10-00 pm Tue 10:00 pm Wed 10:00 pm Thu 7 00 pm and 10:00 pm Sat 6:00 pm

OHIO Akron WEAO TV. Sar 10 30 am and \$-00 pm 5un. 6:00 pm

Alhance WNEO TV. Sat 10/30 am, 5 pm Sun. 6:00 pm

Bowling Green WBGU TV. Mon 3:00 pm Sar . 30 pm

Cambridge WOLC IV. Sat 5 00 pm Cincinnati

WCFT TV.

Thu 8 00 pm

Sat 9:00 am

Cleveland WVIZ- FV. Tue 7:30 pm 5at 1 00 pm Sun 12,30 pm

*times and dates may vary, check your local istings.

Muncie

WIPB TV.

The 8-00 pm

5un. 4 30 pm

television listings

Columbus WOSL TV, Thu. 8:00 pm 5at 4:30 pm

Dayton WPTD-TV, The 8 00 pm Sat 9 30 am Sun noon

Portsmouth WPBO TV, Thu 8:00 pm Sat 4:30 pm

Toledo WGTE TV, Thu. 8:00 pm Sat & San. 1:00 pm

OKLAHOMA Cheyenne KWET-TV.

Sat 9:30 am and 12:30 pm Philadelp Sun. 3:00 pm WHYY Sat 11:0

Eufaula and 6
KOET TV, Sun.
Sat 9:30 am and 12:30 pm Piersh
Sun 3:00 pm WQE

Oklahoma City a
KETA TV,
Sar 9 30 am and P
12.30 pm, Sun 3 pm

Tulsa
KOED TV,
Sat 9-30 am and
12.30 pm, San 3 pm
Sat, 5:00

OREGON Bend KOAB-TV, The 8-00 m

The 8-00 pm Sat 5:00 pm WSBE TV,
Tue 8-30 pm Sat 1-30 pm KOAC TV

The 8.00 pm
Set 5:00 pm
All endale
WFBA TV,
Set 1.30 pm

KEPB TV
Thu, 8:00 pm
Sar 5:00 pm
Beaufort
WJWJ TV,
5ar 1:30 pm

Klamath Falls
KFTS TV,
Sat 10,30 pm
Charleston
WITV TV
Sat 1 30 pm

La Grande
KTVR-TV, Columbia
Thu 8:00 pm WRLK TV
Sat 5:00 pm Sat 1:30 pm

Conway

WHMC TV

Sar 1 30 pm

Medford KSYS TV, Sat 10;30 pm Portland KOPB-TV, Thu 8:00 pm Sat: 5:00 pm

PENNSYLVANIA Alientown WLVT TV, Thu 8:00 pm

College Park WP5X-TV, Sat 5 00 pm Sun. 4-30 pm

Sat 6:00 pm

Eric WQLN-TV, Sat. 6:30 pm

Harnsburg WITF-TV, Thu 8,00 pm Sat 6:00 pm

Philadelphia WHYY TV, Sat 11:00 am and 6:00 pm Sun. 8:00 pm

Pitrsburgh WQED-TV, Sar 4-30 pm and 6-30 pm

Pittsburgh WQEX TV, Wed 8 30 pm

Pittston WVIA-TV, Thu. 8:00 pm Sat. 5:00 pm and 5:30 pm

RHODE ISLAND
Providence
WSBF TV,
Providence
WSBF TV,
Providence
WSBF TV,

TV, 30 pm Rapid City 88HE TV, Sat. 3:00 pm

> Vermillion KUSD: TV, Sat. 4 pm

TENNESSEE Chattanooga WTCI TV, Sar 1 30 pm

Cookeville WCTE TV, Sat 12 30 pm

Knoxville WKOP TV, Sat 130 pm

Knoxville WSJK-TV, Sat 12 30 pm Lexington WLJT TV, Thu 9-30 pm Sat 12-30 pm

Florence

WIPM TV,

Greenville

WNTV-TV,

Sar 1 30 pm

Greenwood

WNEH IV.

Sat 1 30 pm

Rock Hill

WNSC TV,

Sat. 1 30 pm

Spartanburg WRFT TV,

Sat 1 30 pm

WRJA-TV,

Aberdeen

KD5D TV, Sat 4:00 pm

Brookings

KESD-IV.

Sat 4:00 pm

Eag.e Butte

KPSD TV,

Sat. 3:00 pm

KQSD TV.

Sat 4:00 pm

KZSD-TV,

Sat 3 00 pm

Maron

Sat 1:33 pm

SOUTH DAKOTA

Sumter

Sat 130 pm

Memphis WKNO-TV, Sat. 9 30 am

Nashville WDCN-TV, Sar 4:30 pm

TEXAS Amarillo KACV TV Sat. 12 30 pm

Austin KLRU-TV, Sat. 5:30 pm

College Station KAMIU-TV, Mon. 5-00 pm Sat. 12-30 pm

Corpus Christi KEDT TV Sat 12 30 pm and 9 00 pm

Dallas/Ft Worth KERA TV, Sat 6.30 pm

E. Paso KCOS-TV, Sat 4:00 pm

Harlingen KMBH TV Sat 12 30 pm

Houston KUHT-TV, Mon, 1 30 pm Sun, 11 30 am

Killeen KNCT-TV, Sar 12 30 pm

Lubbock KTXT-TV, Sat. 12:30 pm

Odessa KOCV TV, Tue 11:00 am Sun 12:30 pm

San Antonio KLRN-TV, Sat 5 30 pm

Waco KCTF-TV, Mon 12/30 pm Sat. 12,30 pm UTAH Provo KBYL TV, Sar 9-30 am, noon

Salt Lake City KUED: TV, Sat. 8 am and 5 pm

WERMONT Burlington WETK TV, Thu B-00 pm Sat, 11:00 am

Rotland WVER TV, Thu 8 pm, Sat 11 am

St. Johnsbury WVTB-TV, Thu. 8 pm, Sat. 11 am

Windsor WVTA TV, Thu. 8 pm, Sat 11 am

VIRGINIA Charlottesville WI+TJ TV Sat 8 30 am

Horrisonburg WVI/T TV, Sat. 1-30 pm and 4:30 pm

Marion WMSY TV, Sat. 1-30 pm

Norfolk WHRO:TV Thu: 8:00 pm 5at 8:30 am; 2 pm

Norton WSBN-TV, Sat 1 30 pm

Richmond WCVE TV, Sat 8 30 am

Richmond WCVW-TV, Fri, 8:30 pm Rognoke

WBRA TV, Sat. 1 30 pm WASHINGTON

Centralia KUKA TV, Thu. 6:30 pm Sat. 12:30 pm

Pullman KWSU-TV, Wed 7:30 am Sat 2:00 pm Richland KTNW TV, Wed. 7 30 am Sat 2 00 pm

> Seattle KCTS-TV, Sun. 5:00 pm

Spokane KSPS-TV, Sat 10:30 am Sun, 5:30 pm

Tacoma KBTC-TV, Thu 6:30 pm Sat 12:30 pm

Yakıma KYVE-TV, Sun. 5:00 pm

WEST VIRGINIA Beckley WSWP-TV, Sat 12 30 pm

Huntington WPBY TV, Sat 1 30 pm

Morgantown WNPB-TV, Sat 7:00 pm

WISCONSIN Green Bay WPNE TV, San. 4:00 pm

La Crosse WHLA TV, Sun. 4:00 pm

Madison WHA IV Sun. 4:00 pm

Menomonie WHWC-TV, Sun. 4:00 pm


Milwaukee WMV5 TV, Tha 7:30 pm Sat 8:00 am and 6:00 pm

Park Falls WI EF TV, Sun. 4:00 pm

Wausau WHRM TV, Sun. 4-00 pm

Riverton KCWC-TV, Sat moon and 5:00 pm

Tarnish-free brass, guaranteed!



The Lifetime™ Finish from BALDWIN:

Our state-of-the-art finishing process and a tradition of quality craftsmanship combine to bring you the finest, solid brass locksets available.

Experience the difference.

Easy to install. Stylish designs. Guaranteed for life.

BALDWIN



Woulda, coulda, shoulda.

Woulda done it differently. Coulda chosen windows wore carefully. Shoulda gone with Andersen! Anyone who's ever had to live with teaky drafty, or warped windows is all too familiar with the feelings of regret and disappointment

Fortunately, there's an easy way to avoid them Choose Andersen' Windows No one understands more than as how critical your undows are to the enjoyment of your home And no one goes to more painstaking lengths to craft windows that you car feel good

about Att of our designs are subjected to exhausting tests for durability, weathertightness



NOTE EXPERENTE BUILDING BETTER WINDOWS

and performance over time. Once built, we hold them to exacting specifications For instance, miltuork and measurements cannot be off by more than 005 of an in. h On the exterior, our Perma-Shield' system protects against the weather, and won't chip peel or corrode. And best

of all, we stand behind our windows with a 20-year written warranty on all glass

We d like to tell you more. Carl the number below to locate your nearest Andersen. Wirdow Center' store Come Experience Andersen Light "



Calt 1-800-426-4261, ext 1046

With so many standard features, it's surprising there's still room for six adults in there.

Long before we began creating the all new 1995 Chevy Lumina, we asked thousands of people what they were really looking for in a new mid-size sedan. Turns out what they wanted more than anything was, well, everything. So the new Lumina comes with a range of standard equipment that, not too long ago, would have been thought impossible for a car in its price range.

At the top of the list is a sophisticated

4-speed automatic. Combined with a new fuelinjected, 160-horsepower V6 engine, it delivers
power to the front wheels as quickly as your
right foot can ask it to. So you'll be comfortable with all that power, a quick
cooling air



conditioning system with CFC-free refrigerant also comes as standard equipment


We also added power door locks. Vanity

mirrors for both driver and
passenger (lighted

on the passenger side). Theater lighting that slowly dims after you enter the car. Intermittent wipers, dual sport mirrors, and even an adjustable steering column are standard, too.

And the whole beautiful package is pro-

as you've just learned, there's a lot of valuable stuff inside. See the new Lumina at your neighborhood Chevy dealer. Ask to take a test drive. And bring a friend. Or five.



Photographs by Darrin Haddad



In a durability test, the competitor's hammer lasted 60 seconds. If you happen to need one for longer than that, buy a Stanley hammer.

than any words can. In our overstrike use to make their hammers. tests, the Stanley hammer outlasted the competitor's brand by a 4 to . ratio."

rand a whole lot of sleepless nights) our that jacketed, solid core fiberglass is a garage door insulated to reduce products are better more durable than the compression

That's the Stanley philosophy. You see, after years of research perfect You'l, find this kind of dogged noise Or a closet organizer made than anyone elses.

This picture tells the story better molded variety some of our competitors with stee, planks instead of wire so if doesn't wrinkle your clothes.

It's innovative thinking like this Don't quit working until your product is that sikept us ahead of the competition for more than 150 years. At Stanley determination across the board at we're not happy simply churning out engineering department concluded. Stanley In everything we make Like products. Were only happy when our

In the 16 years This Old House has been on the air, the show has received thousands of questions. Finally, we have a place to answer them. If you have a house-related query, write: This Old House 20 West 43rd Street

New York, NY 10036 or e-mail

letters@toh.timeinc.com

Additions and

tube sale

If you light a basement or garage with four-foot fluorescents, stock up on replacement bulbs now Cool white 40-watt fluorescents, common 99-cent specials, cannot be made or imported after October 31. The National Energy Policy Act of 1992 allows four-foot fluorescents only if they use less energy or emit better quality light. Manufacturers now offer bulbs that do both, but they're pricey-which is why most lighting experts we consulted expect 34-watt "energy-saver" cool whites to become the norm. They're cheap (about \$1.50) and simple.

But the energy-savers won't work in many old fixtures—or in many being sold today. When we went shopping this spring, sales clerks assured us all their fixtures would accept energysavers. When we tried them out, two bulbs glowed only at the ends. Others flickered so much a clerk felt ill. A third set of bulbs became too hot to touch. Lighting experts confirmed our results.

The problem is with the ballast, a box inside the fixture that adjusts the current. Only ballasts labeled "high power factor" can take the energy-savers. "Normal power factor" ballasts-the ones in most inexpensive workshop lights-cannot. To see which kind you have, disconnect the fixture, twist out the bulbs and remove the cover. If your ballast says nothing about power factor but lists only 40-watt bulbs, that's all it will take.

It's worth checking now, if your ballasts require 40-watt bulbs, you'll know that when it's time to replace. you can: 1) spend \$20 on a high power factor ballast so you can use the cheap 34-watt bulbs; 2) buy expensive color-corrected 40-watt replacements; 3) spend \$20 on an electronic bailast and then buy the skinny, one-Inch. bulbs known as T-8s.

Or, 4), avoid the whole mess. Stock up on 99-centers now. They're supposed to last for 20,000 hours, so a few dollars should give you light for years to come. No, it's not the most energyefficient option. Unless, of course, it's your energy we're considering.

Ted Floyd, a

carpenter in

I'd like to build a garden nouse, any suggestions? The recest kits we've seen are from Heritage Garden Houses, of Lansing, Michigan (517-372-3385). But they're pricey. The one at left is \$11,000 Want to design your own? Read Lester Walker's Tiny Houses (Overlook Press: \$29.95,


Are triangle-face hammers a gimmick?

California, doesn't think so. He developed the triangular face to better fit into tight spots and to pound close to corners. His finish and framing hammers also have a magnetized T-shaped recess in the cheeks that can hold a nail during a first sideways strike while one hand keeps wood or drywall in place. Their claws have a thinner "V", to pull small naits more easily. They come in five sizes, from 10 ounces to 30 ounces. The 18-ounce, shown here, costs \$32.95; call 800-645-2434. They're very handsome. Do they work? Steve Thomas says he has one but usually reaches for a regular hammer instead. One drawback is that if your aim is even slightly off, you can

leave a sharp dent in your work.

Norm says, "Measure twice, cut once."

additions and extras



Can I put a backyard playset on grass?

No. You need to cushion wherever a head can hit, and grass is too hard—especially after the kids compact it into pavement. At public playgrounds, the J.S. Consumer Product Safety Commission recommends a cushioned "fa, zone" 6 feet beyond most equipment. Swings should have more twice the height in front and back, pius 6 feet on either side. (To get the free "Handbook for Public Playground Safety," write to the CPSC, Washington, DC 20207.) Even those who scrimp on the area of cushioning should follow recommendations for depth which the commission determined by dropping a metal "head" full of instruments. How much will it cost? Rubber mats are expensive—\$10 a square foot installed. That leaves loose fill. A 6inch branket of bulk sand or pea gravel

Covering the play area with 2-inch-thick RUBBER

MATS, common in public playgrounds, will probably cost more than buying a playset.

costs about 50 cents a square foot, plus delivery charges, at our sources. Several playground designers recommended hardwood chips, previously available only in bulk but going on sale this spring in 3-cubic-foot bags from Fibar Systems (800-342-2721); the price works out to about \$1 per square foot for a 6-inch layer. For his part, the head of the CPSC's testing program says he'd use mulch from his local landfill, "it's free." Use your common sense, too. Keep equipment lowunder 5 feet if possible. And consider advice from Candice Stein, a landscape designer in San Jose, California, Because cushioning compacts where it's needed most, she suggests diaging a hole 2 feet deep at the end of slides or other key spots, and filling it with cushioning.

	MATERIAL	UNCOMPRESS FO PAPTH			COM PRESSET PEPTH	
		6 h	9"	124	9*	
a state of the	SAND	5"*	5°	6*	4°	GOOD FOR PLAY BUT CAN ATTRACT CATS. MAY COMPACT, REPUCING CUSHIONING
	PEA GRAVEL	6*	7°	10*	6*	POES NOT COMPACT OR NOT BUT AWFUL TO WALK ON NEAR LAWN CAN BE KICKED OUT ASMISSICE BY MOWER
	SHREPPED WOOD	6*	10*	И*	7*	KNITS INTO FIRM SURFACE, STATS PUT NEEDS OCCASIONAL TOPPING OFF
	мшен	#Numbo		ghts (in toos) Iro	10°	FREE IN MANY COMMUNITIES. MOST SO PERSENISHED AS IT DECOMPOSES

Makita USA inc. is recalling about 130,000 of its fiveinch random orbit finish sanders after 10 reports that the metal fan Inside had fractured during use. Twice, people were hurt when pleces broke through the motor cover. The recall applies to model B05000, sold nationwide from April 1992 to June 1994, for about \$125. An "N" stamped before the serial number Indicates the sander already has been repaired. Others should be returned to the nearest Makita service center for repair. Look in the phone book or call the company at 714-522-8086.

Do any of the "green" paint strippers work?

We've tried two that were quite effective: Woodfinlaher's Prida and Citristrip, Both are based on n-methyl-2-pyrrolldone (NMP) which is nonflammable and produces fewer toxic vapors. (Citri-



atrip also contains d-limonene, a citrus-scented solvent; it actually smells nice.) They're not cheap, and they take much longer to work than traditional strippers. But we recommend them since the old, methylene chloride stripgers offer speed at the expense of health: They're both careinogenic and narcotic. Citristrip: 810-340-0400. Woodfinisher's: 901-775-0100.

WE DIDN'T BUILD IT AS A LOW-PRICED MITER SAW. WE BUILT IT AS A DELTA.



You're looking at the lowest priced 10" Power Miter Saw we make Packed with all the stamma and precision you'd expect to find in a more expensive saw. At a glance you can see more features than you're paying for. So what's the catch?

No catch It's just that we have miter saws down to a science. We've built more configurations of power nuter saws than anyone. So you benefit from efficiencies in design and cost of manufacturing that allow us to build professional quality saws at a lessthan-professional price

This one weighs only 28 pounds, so you can take it right to the job. Crosscuts a 2x6 or 4x4 at 90° Miters a 2x4, flat or on edge, in a single pass at 45° A rigid

cast iron head support ensures accuracy. D handle design with a trigger switch gives you positive on-off control. Electric blade brake automatically stops the blade when you let go. However, we should probably warn you. This isn't a saw you'll want to let go of, once you get your hands on it.

For the name of the nearest dealer, home center or hardware store carrying Delta tools, call Delta International Machinery Corp., 800-438-2486 In Canada, 519-836-2840



Where do I find recycled building materials?

Chaose to Reuse, by Nikki and David Go d- but wood, metal and other construction try. It costs \$18.95 from Ceres Press, PO Box 87, Woodstock, NY 12498, 914-679which has been so successful setting items destined for the dump that it is gearing up to offer franchises. With an inventory that

produced revenues of \$1.4 million last year, it's certain to have something you can use. We picked up a leaded glass window, a (new) brass faucet, a balluster and a post support, all at prices well below retail

If you have a computer and modem, try the National Materi a.s Exchange Nerwork, a free bulletin board service. The emphasis is on industrial byproducts (want a few vats of acid)).

beck, is a fat new book (480 pages) listing materials are there too. Organizer Bob Smee suppliers of used materia's across the coun-said he sees great potential for exchanges of building materials, especially since listings can be sorted by area code. Call 509-466 5573 It tipped us to Urban Ore in Berkeley, 1532 for information. The World Wide Web address is http://www.earthcycle.com/nmen; modem users without Internet access can call the bullenn board number, 509-466-1019



CAN I CLEAN OLD, STAINED **BATHROOM FLOOR TILE?**

Leonard Silvestri, a tile expert at Jack Corcoran Marble. guesses you have unglazed ceramic tiles, which were commonly laid in bathrooms years ago. Try a scouring powder like Alax or Comet with a little water and a non-woven abrasive pad like the ones 3M makes. If that method shows promise, the polishing will go faster with a right-angle sander, available in rental stores, fitted with an abrasive pad and your scouring-powder-and-water mix. Wear a good face mask, ear pluge, and goggles, and plug the tool into the bathroom's GFCI (the socket with the red light or button). Also, cover every crack with plastic sheeting: you're going to generate a lot of porcelain dust. All this scrubbing may still not remove 100 years of wear, in which case you can always say your floor has "character."

"A good architect can improve the looks of an old house merely by discussing the cost

What stops dry rot in beams?

Dry rot is decay caused by fungi (specifica, y, basidiomycetes), which can grow only with moisture. Norm says you should vent the space under your floor: if there's a dirt floor beneath, cover it completely with a sheet of 6-mill polyethylene. If beams are already damaged, apply several coats of an epoxy conso ident to the surface, as we did to the rotten sill in Wayland, Massachusetts. Or, you can inject epoxy into 14-inch or 14-inch diameter holes drilled into the beam. The epoxy will penetrate dry, rot softened wood to form a moisture-proof barrier that helps restore some of the wood's strength. Pay particular attention to the ends of the beam.


Can you recommend a garden planner book?

of a new one." According

We've found most garden design books to be little more than pretty pictures with no advice on recreating them. But John Brookes Garden Design Workbook: A Practical

Step-by-Step Course is just what its subtitle promises. Its theory is that virtually any house has some underlying, unifying grid that determines such things as window and door placement. Figure that out and you' be able to design patios, walkways and other features in pleasing proportion. A series of marked-up overlays imposed on photographs of houses and their yards shows just how to do it. There may well be other good ways of designing a

garden, but this one struck us as eminently usable. New y published by Dorling Kindersley (the company also responsible for the splendid Eyewitness Visual Dictionames series), it costs \$15.95 and includes the best parts of the classic John Brookes Garden Book, published by Macmillan and still avaitable for \$40



We have used concrete pavers, which can be laid over a shatow sand bed. They come in dozens of shapes, patterns and colors; call the Concrete Paver Institute (703-713-1900) for information. Pavers are designed to interlock, so they don't need mortar, and also can be ripped up and patched easily.

What's the best material for a path through my yard?

We also like brick paths, but they can be timeconsuming to lay straight. If you can overlook the name, Patto Pal (619-449-5050) is an inexpensive plastic grid system that holds bricks in place; it also helps to keep weeds at bay.




If you'd rather have a grassy path, we recently came across a device called Grasspave (800-233-1510). It's a flexible grid of recycled plastic rings, lay it in the ground, fil. it with mulch, sand and fertilizer, and grow grass in it. The rings prevent compacting of the soil We spoke to one gentleman who installed it alongside his driveway last spring and he said his grass survived "even where the wife backs up and misses."

Do you want them in your kitchen?

Of course, the question we get asked most at This Old House is: "When can you come and work on my house?" Here's the answer:

We work on just two homes each year. The summer project, from late spring until Christmas, must be in or near Boston (so we can drive home at night). The winter project (New Year's Day through St. Patrick's Day) must be in a balmy locale, so we can work putdoors. (Previous locations include the Napa Valley-balmy, but the wettest winter in years—Santa Fe, Miami and Hawaii.) We like houses that are historically or architecturally unique. We look for a style we haven't dealt with before-or at least recently. We just finished a colonial and an early 20th-century house, for example, so we are now looking for a federal house. The homeowner must have a large enough budget to finance the

work we deem necessary. That's right. This Old House doesn't pay for the project-the homeowner does. (Some materials will be donated, but the homeowner must pay gift tax on their value.) We prefer to use a contractor and an architect of our choice. And the homeowner must endure not only the mess of renovation, but the crew and equipment that come with a TV show. Bonus points: We like homeowners who will invest sweat equity, as well as cash, in the project. Write to: This Old House, 125 Western Ave., Boston, MA 02134.



Help! Salt air is corroding my aluminum screens.

Fiberglass screening (the stuff that

comes in most new window screens and doors) is the cheapest solution; it runs about 25 cents a square foot and is impervious to almost anything. It's also matte black and fairly ugly. If you're willing to pay 8 to 10 times. more, copper bronze, brass or stainless steel screening are excellent, corrosion-resistant options, (Nickel, monel or titanium screens are also available, if price is no object.) Copper is the softest and will, like brass and bronze. acquire à verdigris pat na in time. Staintess is the strongest and most costly, and it stays shiny indefinitely. Bronze, the cheapest, shines like gold when new All have a metallic "flash," which keeps people from running into them accidentally, and they look good. (We have used bronze screening instead of tempered giass panels to childproof a giasspaneled interior door.) The typical mesh size for insect screening is 18 x 14 (18 holes per horizontal inch by 14 hoies vertically) with .009 or .011 gauge wire. If a screen must resist bumps from dogs or kids, you can order square mesh (e.g. 14 x 14 or 16 x 16) with thicker wire (and a bigger mesh size) for better durability. Don't put copper, bronze or brass on aluminum doors; galvanic corrosion will eat at the door





The top-selling sport utility with standard dual air bags.*

All-new Control Trac 4-wbeel drive provides instant traction control automatically.



Free 24-Hour Roadside Assistance for 3 years/36,000 miles. See dealer for details.





Explorer bas the highest quality of any American compact sport utility**



Comfortable new interior bas more room than any top-selling compact sport utility.

It Already Offered The Whole Kit And Caboodle. So Now, We've Added The Whole Shebang.



New standard 4-wheel anti-lock disc brakes for surer, safer stops.

New ergonomically designed instrument panel with large, easy-to-use radto controls.





New SLA suspension and rackand-pinion steering for a smoother ride and excellent bandling.

100,000 miles of carefree driving before first recommended tuneup with standard V 6 engine





Introducing The New Ford Explorer.

Security and comfort come from new adjustable-beight front belts.





DO YOU LIKE SCREW-DRIVERS WITH INTER-CHANGEABLE TIPS?

Steve does, "Better than carrying around a bunch of screwdrivers." We like the hefty, cushoned handles from Latshaw Tools. The topof-the-line, \$17 to \$20 model shown here has a magnetized shaft and ratchet action, Cal. 800-833 3125 for suppliers.

How do I sand in tight corners?

This Old House director Russ Morash recommends the Fein triangle sander (shown), which he used to refinish the wood windows in his house. "It's the kind of tool you'll wonder how you ever did without." he says. We edge-sanded over 60 feet of white oak flooring with this German-made tool and it never once bogged down. Best of a. it doesn't generate much dust. The Fein, which lists for \$295 (800-441-9878), can be equipped with a variety of accessoriesincluding a scraper, a wood/meta/fiberglass saw blade (this is the one Russ used to trim cedar shinoles and that orthopedists use to remove casts) and a carbide grout saw blade—all interchangeable with a few turns of a hex nut.

There are several cheaper detail sanders on the market. After trying them all, we found only the Bosch B7000 and B7001 came close to the Fein's performance. The Bosch sanders have no fancy accessories, and they vibrate a bit more than the Fein, but they are quieter, lighter and cost about half as much. We ked their click and turn pads, no need to hunt for a hex wrench. The B7001, new this year, has variable speeds a big plus for detail work. It lists for \$156 (312-286-7330), which means less than \$100 at discount.


The Fein is a worthwhile investment if you have big jobs and a tight schedule. For those on a budget with less demanding work, either Bosch tool is a big improvement over fingers and sandpaper.



And taxes

If you took a home mortgage interest deduction on April 15, pay attention to this fall's Congressional debates on reducing the interest deduction cap. The Congressional Budget Office calculates that reducing the cap to \$300,000 (it's currently \$1 million) would raise \$34.8 billion over five years. The limit would affect just a tiny percentage of homeowners. Including you?

What's the pest materal for finias and other decorations on outdoor tence posts?



Pressure

Treated

Pine \$4.29

Vinyl \$7.00



Redwood \$12.50



Hardwood \$47.00 (incl. post cap)



High-density Memlock Polyurethane \$1.40 \$6.25



Cast Iron

Mahogany

FINIALS COME IN A wide range of materials, shapes and prices. We picked a group of 4-inch "cannonballs" to illustrate the point. Interestingly, there's little correlation between price and quality. Among the most expensive we found were some made of poplar, touted in a catalog for outdoor use, even though

this wood has virtually no rot resistance. When we called to order the hemlock finial, we were assured it was treated to resist rot; after we saw it and rechecked, we were told it was not. Our choice from this group: the \$12.50 redwood. It's a reasonable price, nicely made and less likely to split than the treated pine.

EASY RETAINING WALLS?

We have seen modular, interlocking concrete blocks used to make retaining walls and steps in Europe, and have found one company making them in the U.S.: Versa-Lok, of St. Paul, Minnesota (800-770-4525). Installed on a shallow bed of gravel, each block fits into a groove on the one below; mylarfiberglass pins provide extra security. They are

designed so the press of soil behind the wall strengthens the bond between the blocks. No mortar is used: just concrete adhesive to add caps if you wish.


Retrofit insulation?

Viewers who saw our series on the Maitland house in Acton loved the non CFC foam we sprayed between the studs and ask if it can be used behind existing walls. The answer is no. It expands so fast your walls would pop off the studs. But leynene, the company that made our foam, also makes Pour Foam (416 890-7325). It can be pumped through halfinch holes (one pair in each bay between each pair of studs) that can be spackled over when the job's done. Steve says, "Whatever you use, hire a contractor who specia..zes in retrofit installations." We also recommend you ask for a thermograph (infrared photograph) of the house afterward to show if gaps remain.

Steve Thomas says, "A nail is only as strong as where it is placed."

SQUARE-DRIVE SCREWS, which get their name from the square. tapered recess in the head right where you'd expect to find a slot or a Phillips star. have been around since 1908. They were invented by a Canadian, P.L. Robertson, to overcome "cam out" (when a screw drive bit loses its grip), and are now more available. Norm recommends them for woodworking projects: "They feel more positive, and have less slippage think they could dominate

the industry in 15 years."



SUMMER VACATIONS

■ Help build homes for families with Habitat for Humanity At two "biltz" events this summer, about a dozen houses will go up in under a week. June 30 in Oakland California, and August 6-n Detroit Michigan Less intense "work camps" take piace throughout the summer Call 912-924-6936 for details.

■ Furniture restoration, tinsmithing, pleatering, early American wallpapers end historic painting, taught in a private "museum village" in upstate New York. Meals cooked in an 18thcentury oven participants sieep on rope beds with straw and feather ticks. Eastfield Village, 518-766-2422. Five day courses, \$395-425, one-day workshops \$135. Lodging free if you bring ten 10-inch white candies. Log, stone and solar construction. In

the Potomac Highlands of Virginia. Bear Mountain Outdoor School, 703-468-2700. Three- to six-day program \$250-\$650 includes lodging, meals. Home construction and renovation basics, with emphasis on smart design, plus workshops in cabinetmaking, landscape construction and

specific building techniques, in the Mad River Valley of Vermont Yestermarrow Design/Build School, 802 496-5545. One-week courses, mostly \$800, plus \$275 for food and lodging. not quite double for two-week courses \$200 for two-day mini-courses

■ Turn-of-the-century metalworking at a foundry and water-powered machine shop in California's Mother Lode country, June 2-4. Historic Knight & Co., 209-267-5543, \$350.

■ Timber framing in Maine. Beginners design, cut and raise a frame in five days Fox Maple School of Traditional Building, 207-935-3720. \$475


 Housebuilding, with morning lectures and afternoon hands-on at a custom home being built in the Berkshire Hills of western Massachusetts. Heart-Wood School, 413-623-6877 Threeweek course \$950 includes lunches; one week timber framing, cabinetmaking, home design, renovation carpentry for women, \$450

Fine woodworking on the Maine coast, with hand tools and machines like those in homes and small workshops. Center for Furniture Craftsmanship, 207-594-5611 One-week workshops, \$400; two-week, \$730; housing starts at \$180 a week; \$40 registration.

■ Museum-quality restoration training at Thomas Lefferson's Poplar Forest June 12-24 Apply only by writing before May 8 to Travis C. McDonaid, Jefferson's Popiar Forest, P.O. Box 419 Forest, VA. 24551 Costs \$250; dormitory rooms for \$15 a day

■ Furniture making, understanding wood, machine maintenance and jigs, in rura, Indiana "amongst com soybeans and basketball goals." Marc Adams School of Woodworking, 317-535-4013. One-week classes, about \$500; weekend workshops, \$250. Fine woodworking in western Mas-

sachusetts, at One Cottage Street School of Fine Woodworking, 413-527-8480 Five-day classes from intro to steam bending, \$300. Twoday workshops, including tuning antique hand tools. \$175.



QUOING WITH FULL-THECKNESS BRICK











If you think you can't afford stone, think again. Think Cultured Stone. It looks right, it feels right, and it comes in more than 50 colors and textures. On a wall, it weighs about a quarter as much as natural stone—one reason why it ends up a fraction of the cost. Call 1-800-644-4487 for the name of your nearest dealer. Then see and touch. Cultured Stone

Treated Wood

Is it dangerous? And what are the alternatives?

BY JOHN S. SALADYGA PHOTOGRAPHS BY DARRIN HADDAD

e love wood, so to bags and bacteria Treated with preservatives, wood can last 30 to 40 years or even longer Untreated decay prone wood can rot in a year Builders use treated wood in foundations garden structures, docks swing sets-any place wood meets ground or water. In the .ast few years, questions have been raised about the effect of treated wood on health and the environment The US Environmental Protection Agency has issued warnings about some preservatives, and g.ves.imited approval to compounds of arsenic, used in almost all treated wood But at a time when common garden pesticides are blamed for rising cancer rates it is worth looking at alternatives naturally resistant woods and made number

"treatment" for wood, but it must be properly applied. This fir baluster was not painted before instalsation; the raw wood acted as a wick, sucking up

Paint is the simplest

TREATED WITH WHAT?


The most widely used preservative in residential lumber is chromated copper arsenate (CCA). Ammoniacal copper atsenate (ACA) and ammoniacal copper zinc araenate (ACZA) are applied on a smaller scale, primarily to wood species found in western states. EPA studies of health risks associated with compounds of arsenic found short-term illness following intense exposure, and a few cases of acute poisoning caused by failure to use precautions in handling the wood.

Ammoniacal copper quat (ACQ) is a new product developed as an alternative for users wary of the argenates. Considered less toxic than argenical solutions, ACQ is subject to fewer EPA regulations; however, it has not undergone long-term testing.

Borate and copper naphthenate solutions are commonly sold for home application to untreated wood, or for treating cut ends of treated wood. Both are considered safe if commonsense precautions are observed.

Two older preservatives, pentachlorophenol and crecsote, have been ruled too toxic for interior use. Norm Abram says he "wouldn't recommend using them at all, indoors or outdoors."

malerials rot-resistant lumber



THE WOODS

- **1.** Redwood has natural insect and decay resistance, old-growth more so than second-growth. It is the most expensive outdoor wood in most parts of the country.
- 2. Western hemlock, a CCA-treated species often used in western states, does not accept preservatives easily, so cuts are made in it to enable the chemicals to penetrate. Price and longevity are comparable to other CCA-treated woods,
- 3. CCA-treated southern yellow pine is the least expensive

type of treated wood and by far the most widely used.

- 4. Plastic lumber from reused milk containers costs 60 to 70 percent more than treated wood.
- Cedar, also naturally insect- and decay-resistant, coststo 30 percent more than treated wood.
- 6. Trex (wood-polymer composite), a blend of sawdust and recycled plastic, accepts paint or stain. It is currently the only composite lumber for outdoor use. Trex 2x4s cost \$1/foot.



PLASTICS Recycled plastics, generally high density polyethylene from discarded milk containers, now stand in for wood in many applications. But the industry is so young that uniform test procedures and manufacturing standards are just being developed. As a result, the quality and performance of much of the plastic lumber on the market ranges from uncertain to questionable. It comes in many colors and standard lumber dimensions, and can be

colors and standard lumber dimensions, and can be tooled like wood. You can use power tools on it, but carbide-tipped saw blades, router bits and drills are recommended because of its density; we also recommend using special fasteners. Among the drawbacks is the price, more than half again as much as treated wood. Plastic lumber is heavier than dry wood of the same size. It is not considered a structural material and should not be used in load-bearing applications. Around the house lit is limited for now to deck and dock boards, railings, fences and landscape ties.

Buying and Using Treated Wood

Treated If you plan to Wood purchase lumber treated

with CCA, ACA or ACZA, select high grades, premium wood cracks and spots less. Note the preservative retention level stamped on the wood or a tag)the preservative, by weight per cubic toot, that remains after treatment. A level of 40, rated for ground contact, means there is almost one-half pound of preservative per cubic foot of wood. Be wary of wood marked "treated to refusa."; the refusa. zone of some species is just below the surface, leaving the inner wood approtected.

Read the EPA's consumer information sheet (posted at the lumber yard). Its commonsense instructions: avoid contact with tood or drinking water; don't burn wood, avoid inhaling dust; work outside; wash hands before eating or smoking.

boardwalk. The pilings and rail

supports are

Trimax fiberglass-

reinforced plastic.
The load-bearing

stringers and the

railing are CCA-

treated southern

yellow pine from

Georgia-Pacific;

the decking and

top rail are Mobil

Chemical's Trex

composite

lumber.

Treated wood is shipped direct from treatment to lumber yards, preservatives may still be leaching from the surface. When you purchase the lumber, make sure it is dry. Wear gloves when stack ng or carrying treated ...mber (but not when using power tools). After construction, wait two or three weeks and apply two coats of water-repellent sealer with UV inhibitors-more on cut ends. Stains and paints can be applied over sealer, but let the wood dry at least three months and try to keep it out of the sun, Prime before painting. Water repellent sealer lasts about a year, a penetrating oil stain three to five years and a good paint job six or more

50

Today, homeowners are looking at windows a lot differently. Gone are the days of choosing just one type of window for your entire home.

Fine Tune Your Home With Hurd Windows.

Now there's Hurd FineTuning FineTuning lets you select different types of Hurd windows for different sides of your home. The glass in each type of window is specially designed to keep every room more comfortable, day or night. No matter how big or small your castle is. And no matter what part of the country you happen to live in.

How Hurd FineTuning Works.

It's simple. For instance, Hurd Heat Mirror 88" windows installed on the north and east sides are designed to retain radiant heat by reflecting the inside temperature back into your home. And they keep the cool outside temperature where it belongs-outside.

Hurd Sunbelter 66™ windows on the west and south sides block the sun's penetrating heat and protect against extreme heat gain 50 percent better than single-pane glass without using tints,



fading. In fact, no other window can match the total performance of Hurd InSol-8 windows.

Call 1-800-2BE-HURD for more information about Hurd FineTuning.

We're offering a great new Hurd FineTuning brochure and video for \$6.95, or a free brochure without the video. You can order by phone with a major credit card by calling 1-800-2BE-HURD. Or you can send \$6.95 (check or money order) to Hurd Millwork Company, Inc., 575 S. Whelen Ave., Medford, Wl 54451. The video not only includes Hurd FineTuning ideas, but it will also

How To Make Your Castle More Comfortable.

blinds or shades. Sunbelter 66 windows can also show you all the things to help retain heat in the winter as well.

And with Hard InSol-8° windows, you can even fine tune your home to dramatically reduce architect. No matter what common outside noise by up to 95 percent. InSol-8 also insulates to R-8* and blocks 99.5 percent of the sun's harmful UV rays-the leading cause of

look for in a window.

Talk to your builder or size your castle fine tuning it with Hurd windows and patio doors will make it even more comfortable and energy efficient.

When You're Serious About Windows.



Crairs of glass. Performance is based on facilities of figures. In Sal 8 is a registered treatment of and Societies 65 is a facilities of first Million to Complete, Sar, Neat Million to a tendemonia of Societies o

Circular Saw

Norm Abram teaches us how to use a common power tool, by MARK FEIRER PHOTOGRAPHS BY CARLTON DAVIS



tools Circular Saw the blade

Masonry Blade

A toothless blade, this one is made from an abrasive material that grinds rather than cuts, making it ideal for scoring pavers or for outting bricks and concrete blocks.

Plywood Blade

Unlike construction blades that gobble wood, the steel teeth of this blade nibble. It won't splinter thin surface veneers, so it's ideal for cutting plywood paneling and cabinet plywood.

Chisel-Tooth Steel Blade

This blade probably came with your saw. It outs fast when sharp and does a decent rip out and cross cut. Few pros would swap their carbide blades for easily-dulled steel blades.

40-tooth Trim Blade

Premium carbide-tipped blades with 40–60 teeth are finish blades; they cut more slowly—but more smoothly—than similar blades with fewer teeth.

Decking Blade

Thin carbide teeth with raised shoulders cut smoothly through pressure-treated lumber and other decking woods. Radial slots in the blade reduce warping.

General Purpose Blade

Some blades cut faster, some smoother, but this 20-tooth carbide blade combines speed and long life with a smooth cut. They must be resharpened at saw shops, but a carbide blade is worth it. It's Norm's workhorse.

Remodeling Blade

Also called a demolition blade. Squared shoulders boost the shock resistance of the few (12 to 14) teeth on this carbide blade; use it on nail-embedded wood.

buying

Circular saw blades are usually 7% inches in diameter. A decent general-purpose carbide model costs \$8 to \$10 and will stay sharp much longer than a steel blade. Norm likes thin-kerf b ade versions. They cut faster with noticeably less effort. New carbide teeth should be smooth and shiny, not chipped or pitted, check them with a low power magnifying glass.

To protect brittle carbide, store each blade in an old mailing envelope or pocket folder (they're great for labeling, too). A dirty blade isn't safe to cut with; use oven cleaner to dissolve gum and pitch after you remove the blade from the saw.



Impressive detailing, uncompromising quality and unique character—these same features you admire in your home are the qualities that make KraffMaid your ideal cabinet choice. KraffMaid offers over 75 door styles in

rich woods, beautiful laminates and a selection of up to eight hand-rubbed finishes. Custom craftsmanship, including lifetime warranted concealed hinges and drawer suspension system, provides long lasting durability. And KraftMala is very versatile with a stinctive moldings, decorative hardware and numerous optional features. KraftMala cabinetry. Its time less appeal is perfect for every room in your home.

KraftMaid Cabinetry, Inc. Middlefield, OH 44062

Your home deserves the

CALL 1 800 581 4484 ANYTIME


See KraftMaid every weekend on the Martha Slewort Living television show Check your local listing for station, time and dates.

Mail coupon or call for name of your nearest KraffMald dealer. Send \$4 for aver 80 pages of colorful klerature featuring KraffMald cabinetry, a decarative molding brachure and a guide for planning your new killchen.
Name
Address
Çiliy
State2 _p 2
Yelephone.
MAIL TO: KraffMaldi Cabinetry, Inc. 16052 industrial Pkwy. P.O. Box 1055 Middlefield, OH 44062 TOH 595

Säfety and use

crosscutting a 2x4

A few seconds, nothing more—that's what it takes to slice through a 2x4. Do it wrong, though, and you'll remember those seconds forever. Norm's technique may seem overly cautious, but 30 years of accident-free work with the saw is a good endorsement. Proper blade depth is crucial; it minimizes kickback and leaves fewer clawing teeth exposed beneath the cut. To set the depth (1), unplug your saw and rest the base on a 2x4 with the blade next to the wood. Pull the guard back so you can see the biade's teeth, then lock the saw at a depth that leaves the lowest tooth no more than about X** beneath the wood. Mark a cutline (2), then saw freehand or (as Norm does) use the square as a guide. (3) Why guide a simple crosscut?



"If you turn the saw even slightly after it's partway through the cut,









crosscutting plywood

Plywood can be more difficult to crosscut than dimensional lumber. The pieces are big, the cutlines are long, and the wood is more likely to splinter. Kickback is a particular risk because plywood flexes readily, so proper support is important. Norm lave several 2x4 supports over his sawhorses; add more if the plywood is lass than %" thick. To minimize aplintering, cut with the good face downbecause a circular saw cuts on the upstroke. After adjusting the blade depth (1), Norm sets up a self-clamping straightedge to guide





the saw (2). You can get the same results with a pair of C-clamps and a stiff board. As you cut, be aware that the saw blade will graze the top of each 2x4. Be sure to keep your free hand well clear of the cut (3) no matter what you're doing. To keep from losing control of the saw, he sometimes moves around to continue the cut on the other side of the plywood. (4) Never lift the saw or pull it backwards while the blade is moving—that's asking for kickback. If the blade binds or your cut goes awry, stop the saw before repositioning it.





ripping a 2x8

ber without using a table saw or a rip fence, clamp the board to a sawhorse, then mark the cutline with a combination square (1). The trick is to move the pencil at the same rate as you move the square. The line will serve as a rough








ripping plywood

When he's cutting a lengthwise strip with a circular saw, Norm supports the plywood on at least four 2x4s laid on top of the sawhorses. They run parallel to the cut, with the innermost pair of 2x4s just inches apart on either side of the cut line. To prevent the blade guard from "hanging up" on the







portability are both assets and habilities. If its blade gets trapped in a cut, the whole saw will кіск back violently-at you Take Norm's advice and always stand to the side of the saw, just in case. Check frequently to make sure small pieces of wood haven't wedged the blade guard open If your saw doesn't sound right, shut it off and find the problem It could be a dull or dirty blade. To keep your saw fit, brush off the dust so adjust ment levers are clear. If your saw binds or your cuts aren't square, sight down the base periodicamy to see if it's square and parallel to the blade. Check all knobs and screws regularly to make sure they're tight, and check the electrical cord for fraying. What if you cut through the cord? (Everyone does eventua, .y, says Norm.) Don't repair it, just replace the whose thing. If a saw sputters or sparks, check its brushes. These small blocks of hardened carbon can wear out after a while. Norm's saw makes brush changes easy unscrew each of the access caps, remove the old brushes (be carefulthey're spring loaded); and slip in a new set.

The saw's power and

guide, but the real guide is "the human fence"-in the photo, Norm's knuckle (2)-which rides along the edge of the wood while his thumb guides the edge of the saw's base. When Norm reaches a sawhorse, he moves it back slightly before continuing the cut (3).

edge of a thin sheet of plywood, Norm lifts the

the saw and repositions himself to maintain a

guard just enough to clear the wood as he starts

the cut (1), then releases it as soon the saw base

is past the edge (2). To complete the cut, he stops



Bathing Safety For The Entire Family. Protect your family from accidental scalding in the shower or bath with a Grohmix Thermostat Valve, the ultimate in safety comfort, and luxury Simply dial the desired temperature just as you would the air conditioning or heating in your home.

Your bath or shower water temperature is precisely pre-set and automatically maintained to within 1° fahrenheit regardless of

temperature or pressure fluctuations. Whether a to let is flushed or aid shwasher turned on your shower is never interrupted. GROHE thermostat technology offers you the most sophisticated scald protection systems available today. Experience GROHE. Ultimate Quality, Time essiblesign.






Send \$3.00 for a complete set of literature. Grohe America, inc. • 241 Covington Drive • Bloomingdale. U 60: 08 • 708:582.7711 • Fax 708:582.7722

Cylinder Locksets

A guide for the (careful) amateur carpenter. BY PETER LEMOS



old house in Maine I bought was owned by a man who had lived in it for 20 years thout ever having locked the doors. He had no idea where the keys were and bin thave used them inhe had. He was a man who venerated the past cutting his grass with a scytne and heating with wood. He also apparently had nothing worth stealing. I did A hope essicreative of the present I quiltry installed new locks a task made easier now that manufacturers make cylindrical versions which just need a hole difficulting into the door. The old mortise style demands a lot more complicated carpentry.) The installation process is as satisfying as it is simple. The result a good solid lockset gives a home an anchor that helps to welcome friends but also keeps intruders out.

fixtures & fittings Installing a Lockset



Find the most comfortable spot for the doorknob by standing next to the door and holding out your hand, or by copying measurements from other doors. Mark the spot with pancil; tape the manufacturer's template in place over it and mark center and all screw holes. Repeat on other side.



To cut a mortise for the latch plate in the door edge, use the plate itself as a template and score the outline with a knife. With a chisel, score across at %—Inch intervals to desired depth, then clean out. Work from the center of the mortise down to the bottom, then work up to the top.



Accurate drilling is essential. The spade bit or hole saw must stay perfectly horizontal. If it angles, the look won't line up. Make sure all the hole saw teeth or spade bit points touch the wood evenly as you begin. Drill face holes halfway through, stop, and finish from the other side.



Drill pilot holes for all screws or bolts as you install each one. This prevents screws from breaking off as they're installed. If you're using extra-long screws to secure the strike plate that fits in the doorjamb, make sure you have the right drill bit for the pilot holes.



When you drill the edgebore hole for the latch assembly sideways into the door edge, a pilot hole helps to keep your spade bit centered at the midpoint between the door's two sides. Check that drill is straight in all dimensions by holding a straightedge at right angles to door.




You may have to make a few adjustments after installing the handles, locks and corresponding strike plates. Open and close the door until all latches and deadbolts operate smoothly and easily. You can adjust latch frames or strike plates by shimming with thin cardboard.

getting ready

A forged brass lockset costs \$250 or more, a solid wooden door \$300 to \$500. Drilling a hole in the wrong place or at the wrong angle could damage either or both. Start by tapping a couple of opposing wedges under the door so at can't move. All cutting tools must be sharp: our carpenter, Jay Jones, used an electric drill, 2%-inch and 1%-inch hole saws, a 1-inch spade bit (the Speedbor 2000 is our choice), % nich and %-men bits, a 1 inch chisel, a hammer, a utility knife, a

Phillips screwdriver and a tape measure. A portable drill guide and a vix bit or centering guide also can help. If you have a lot of doors, a lockset boring jig might be worth the \$175-\$250 investment. Avoid expensive mistakes by double-checking measurements and all the instructions included with the lockset. If you have any doubts, ask the door supplier to send it predrilled to your lock's specifications and install the hardware yourself following steps 5 and 6.

DESIGN DREAMS MADE EASY.



You've got the lumber You've got the drywall You've even got the circular saw, but will it turn out the way you planned? Now thanks to 3D Home Architect from Brøderbund you can easily create a complete floorplan. Then just hand it off to your contractor, architect, or interior designer. Whether you're a veteran do-it-yourselfer or just a beginner there's no better way to visualize your own design ideas. 3D Home Architect offers you pre-drawn plans, as well as a fluge library of furniture. It will also tell you exactly what materials you'll need and calculate what it will all cost, based on your plans and prices. Remarkably, 3D Home Architects built in intelligence guides you every step of the way, so

there's no need to worry about making mistakes or overlooking crucia, details (like doors and windows.) 3D Home Architect is everything you

can imagine to make your ideas work, as you want them to work According to your plan

Windows™
CD ROM, \$69.95.

Diskette, \$59.95.

To order 3D Home Architect, Marchitect, Ma

3D Home Architec



fixtures & fittings The Making of a Lockset


and immense

pressure up

to 600 tons

to create a

THE BEST LOCKSETS are made from so id torged brass. Cheaper processes such as casting brass can produce tiny bubbles that diminish a component's durability. Forging compresses the brass under heat




A computer-controlled latite bit further refines a door lever

Freshly forged and polished door roses swalt a fast lacquer finish.



Brass billots are taken from a 1,500-degree oven before forging.



A numerically-controlled drift bores out raw brass stock for this lever.

stronger smoother and more dense meta. The single cylinder lockset we installed started out as almost six pounds of solid brass rods, which were lorged machined fitted in shed and tested for smooth operation. To see it done, we visited the Baldwin Hard ware Corporation's brass factory in Reading, Pennsylvania, where state-of the moment robotics combine with centuries old craftsmanship to create the many components that go into a lockset.

a burglar's view

Jeffrey K. knows more about locks than most locksmiths do At 17, he is a veteran burglar of more than 100 homes and has already spent three years behind bars. He spoke to me just after finishing his first stretch in adult prison. Jeffrey says he always checks first to make sure a house is empty and doesn't have a burglar alarm. Then in quick succession he will use a crowbar, a screwdriver, a credit card, even a paper cup to try and pick your lock. Or, he says, "I can just lean against

a door hard, especially if I don't want to make a lot of noise, and the doorjamb will split." If nothing works—which he says is very rare—he gives up and moves on. "I try not to take much time on one thing; if I can't get in I'll go some place else." To keep Jeffrey K and his colleagues out, choose a lockset with a hardened stee deadbolt that has at east a 1 inch throw and a stee, reinforced strike plate. Install the strike plate and any hinges with screws anchored in nearby strids.

SAFETY AND CHILDREN

For quick exits in

emergencies, an

Interior turn knob on any deadbolt lock is best, especially in homes with children. Better still, some manufacturers—Baldwin and Schlage among them-offer an interior lever that simultaneously unlocks the deadbolt and latch bolt. Doors with glass, however, are vuinerabla-burglars can simply smash and reach inside for entry. A frequent solution is to use double cylinder deadbolts with keyed interior locks on these doors. This violates many building codes, and for good reason: keys are usually stored away from the door for security. In a fire, you might not find them in time. Our friend Julia Child came up with the best solution we've seen so far: she replaced her door glass with Lexan, which is virtually unbreakable.




Twelve-volt systems make it possible to lay underground cable without fear.

BY WILLIAM A. MARSANO

whickle almost any home-improvement project—
electricity. So we were happy to learn about low-voltage garden lighting it's cheap it sleasy to install
and best of all it eliminates the two big drawbacks
of high voltage work, shocks and restrictive loca

electrical codes
The essential item
here is the step
down transformer,
which alters a
home's 120 volt
alternating current
(AC) to 12 volt
direct current (DC)
Low voltage DC is
too weak to kill or
even seriously hurt
you which is why
it is used for chilldren is train sets



Rule #7: Fixtures should be unobtrusive.

and small household appliances. But it's strong enough to light your garden of you pay attention to the bulbs you use, the size of the connecting arble, and the voltage drop (see the mext page to an explanation). The transformers may even come with timers, diminers and photosens. It we switches so you can get exactly the effect you want.

advice from an expert

Tom Wirth, landscape architect for This Old House, says, "Most mistakes involve overlighting. The photos in manufacturers' brochures can make a house resemble a penal colony."

Con't install uniform bulbs everywhere. Vary the breadth, depth (or "throw") and intensity. A very narrow spot can throw a focused beam about 30 feet; a very wide flood fans soft light into a cone up to 40 feet wide. There is a wide variety to choose from.

select the right rixture for function and appearance. On a stairway, for example, use small lights to evenly illuminate each step, rather than a large globe that casts tricky shadows.


Bon't try to turn might into day. If you overlight, even for safety, you can create "hot spots" of limph light. Min subtle "effect"
lighting on house
and grounds with
safety lights at
entrances, paths,
stairs or grade
changes.

Don't overlight older, taller homes: they end up looking out of place. If you overlight their grounds, a house left in darkness can take on a sinlater, Charles Addams look.

Con't install so many lights along a walkway that it resembles an airport runway. Except for very iong paths, one fixture at the front and one at the sidewalk should be enough. For light in between experiment with "moonlighting" fixtures mounted high in trees.

Con't shine lights affectly onto a neighbor's house, if there is any light spill, make sure neighbors won't mind.

fon't emphasize the fixtures instead of their effect, They should be unobtrusive night and day.



proce

the equipment

from 25 to 600 watts in output. To choose one, add the wattage of all the lights you'll need. The transformer wattage should be about 20 percent higher than this number—so you can add a light or two later.

OUTLETS outdoors must be weather proofed and have

features Inside, a regular outlet will suffice Never use extension cords, even with GFCIs, between outlet and transformer

connectors are simple plastic slides with metal teeth. Clamp them shut on the cable (for heavier cable, this takes some force), the metal teeth penetrate the insulation to tap current.

CABLE (wire) is measured by gauge 10, 12, 14, 16 and 18. The lower the number, the thicker the cable, and the more current it carries. Use land-scape lighting cable it's not affected by sunlight, which makes regular cable brittle, and its insulation is self-sealing, so if you move a fixture, connector holes will close up.

ronnector holes will close up.


FIXTURES should be made of sturdy materials—thermop astic, ceramic, cast aluminum or copper—so they won't rust and will survive the occasional swat from a garden tool

BULBS, typically 7.5 to 75 watts, consume less electricity than household bulbs and are smaller and onger-tasting. We ke glass base bulbs, they won't corrode as metal-bases do. PAR lamps (weatherproof bulbs with reflectors) go right into a socket; no fixture required. Most halogen bulbs need protective lenses.



First, design a lighting plan. On graph paper, make a scale drawing of your property and decide where you want the lights to go. Then trail a clothesline from the transformer to all proposed light sites, marking each change in direction with rot-proof stakes. Make straight runs where possible, avoiding planting beds and borders that will be rototilled. Measure the clothesline to figure out how much cable to buy. Then, with the transformer unplugged, attach the cable according to manufacturer's instructions. Run the cable—above ground—along the staked route. Attach the fixtures, add bulbs, wait until nightfall and then plug in the transformer. Adjust the lights until you're happy with the results.

To bury the cable, use an edger or a straightbladed spade. Cut through the turf at a 45 degree angle at least four inches deep (enough to protect the cable from lawn aerators). Pry up the lip of turf and push the cable all the way in. For extra safety, bury yellow plastic construction ribbon with the cable to alert diggers (cut wires won't injure them, but splices will be needed). If there's extra cable at the end-don't cut it off—you may want to add a couple of fixtures later. Just seal the end with electrical tape, and bury it. Drive the marking stakes to ground level so you can locate the cable later.



edge spade.



VOLTAGE DROP

Because of cable's inherent resistance, voltage drops along its length: the endof-run lamps will be dimmer than those at the beginning. Some drop is acceptable, and inevitable, but you want to limit it—so look for a voltage drop of less than 2 volts out of the 12.

Voltage drop is calculated as follows: Total nominal wattage (TNW), or all your lights combined, multiplied by feet of cable and divided by the appropriate cable-resistance constant.

CABLE-RESISTANCE CONSTANT VALUES

CE CONSTA
CONSTANT
1,380
2.200
3,500
7 500
11,920

Example: You have six 27-wait lamps, and your run is 120 feet. With 12-gauge cable, whose resistance is 7,500, your voltage drop will be greater than 2; (6x27=162x120=19440+7500=2,592.)

Too much. You can reduce voltage drop in one of three ways: use lower-wattage lamps for smaller TNW; use a heavier gauge of cable; or move the transformer to a more central position and divide the cable into two 60-foot runs of three lamps each.



Soldering Copper Pipe

Richard Trethewey demonstrates a way to fix your plumbing. BY THOMAS BAKER PHOTOGRAPHS BY DAN BORRIS

As Though A Class OF FIRST GRADERS WASN'T WILD ENOUGH ALREADY.

You might think a roomful of 6-year-olds would be difficult to keep under control But at Winn Brook Elementary of Belmont, Massachusetts, the first graders are perfectly well behaved. It's the classroom itself that's wild

With help from their teacher, Donna LaRoche, the students at Winn Brook have transformed their class into a lifelike rain forest habitat. Complete with vines and waterfalls and scary creatures that are half-jaguar, half-kid.

Ms. LaRoche believes "constructivist" lessons such as this help create "a community of joyful learners." Not to mention a community of South American jaguar fans.

For planting seeds of inspiration in the minds of those who, someday, may help the rain forests

grow, we at State Farm are pleased to present the Good Neighbor Award to Donna LaRoche, along with \$5,000 to her school.



The Good Neighbor Award was developed in cooperation with the National Council for Geographic Education.



USING A

TORCH

PROPANE

nce to inite in tion in the 1920s, ccul or tubing has been the preterred materia, for supplying water to your home Copper doesn't taint the water It is accepted by all the building codes in the United States It doesn't corrode (unless you have well water with an extraordinarily high level of sealments, acids or a.ka is) And skilled plumbers are not the only ones who can join or repair it, homeowners can, too

Brass and galvanized iron pipes, which preceded copper in residential plumbing are joined by tricky threaded ends The best way to oin copper tubing, on the other hand, is by soldering or "sweating" the fittings together to form a metal to metal bond Soldering is not ditticult. Once you get the hand of .t, it takes less than a minute to make a strong leak tree foint that will last indef initely And it's a satisfying process As Daniel Magnus one of our staff mempers says, "Learning to solder was the most aberating moment of my home owning career "



A shower faucet shows the complexity possible with soldered joints.

COPPER TUBING The pipe used in

home plumbing is 99.99 percent pure copper, with a trace of phosphorus. It comes in lengths ("hard drawn copper") or in flexible, annealed coils ("soft copper") that have been heated to relax the metallic bonds. Drawn copper for residential use comes in three color-coded varieties, M (red), L (blue) and K (green), which indicate wall thickness for a given diameter. Most residential plumbing uses 1/2- or 1/2-inch type M tubing, (Sizes are nominal: a half-inch. tube has a %-inch outside diameter; a %-inch tube, % inches.) Soft copper (types L and K only), is used where flexibility is required, such as underground.



echnique how to solder







The secret to soldering is to have a clean joint with a perfectly round cross section. First, measure and mark a length of tube (1). Rotate a tubing cutter around the tube, tightening the handle slightly at each turn to avoid flattening the tube. Remove the burrinside with the triangular reamer (2) that folds out of the cutter;

keep both edges of the reamer in contact with the tube so the tube stays round, and don't push too hard or the end will flare. Clean the inside of the fitting with a fitting brush (3), turning it clockwise to avoid breaking the wire bristles. Use a brush the same diameter as the tubing; don't touch the surface afterward.







Pollah the outside of the tube with fine-grit emery cloth (4). With a disposable acid brush, coat both mating surfaces with a thin layer of flux to neutralize exides (5), then insert the tube into the fitting. Clean, flux and fit all pieces together. Uncoil about 7 inches of solder wire; bend a 2-inch crook near the end. Holding a propane torch at an angle to the fitting, train the innermost blue flame on

the fitting. When the flux bubbles, touch the tip of the solder wire to the side of the joint opposite the flame (6). (Never put flame on the solder itself.) When the solder liquefies and is sucked into the fitting, remove the flame and run the tip of the solder around the joint until it is filled. Gently wipe the joint with a wet cloth to set the solder, then wait until all parts have cooled.

safety precautions

if it leaks Cut the tube a few inches from the leak, reheat the joint and remove the tube stub from the fitting. Be careful; it's not. Using a straight coupling to bridge the cut, clean, flux and refit the tube and fittings as before, then resolder

Protect nearby materials
If the awayen if ber heat
shield, available from
plumbing supply stores
Water and hot solder
den't mix. If the inside
of the tube is wet, stuff
a wad of white bread
(no crust) into it. The
bread absorbs drips

while you're soldering, then dissolves when the water is turned on. Flux is caustic don't get

residue off joints (it may corrode the copper); and flush plumbing before drinking water

the solder itself.


based alloy that fuses with copper. Plumbers used to use 50/50 solder—half tin half lead; since 1986, the solder (and flux) used for drinking-water.

States must be lead free
Look for solders combining tin, copper and silver,
avoid tin-antimony solder
which is harder to use. A
UPC/IAPMO marking on
the spool indicates that
the solder has been tested
and can be used in
drinking-water systems.

the parts

- 1. Solder wire
- 2. Adapter (female solder cup with female threads)
- 3. Tee (with three female solder cups)
- 4. Emery cloth ("scratch") and fitting brush
- 5. 90-degree fit elbow (female solder cup with male solder end)
- 6. Tubing cutter
- 7. Fitting adapter (female solder cup with male thread)
- 8. Flux (soldering paste) and disposable acid brush







...OR BUILD

A TRELLIS Richard Trethewey, our plumbing and heating expert, laments that his handiwork is hidden behind walls. So we designed a garden trellis, which he made using off the shelf fittings and half-inch copper tubing. Markings were removed with lacquer thinner, a solution of ammonium chloride and copper sulfate gave the shiny copper an aged look. It's perfect for training vines, it won't corrode, like a wooden trellis. (And the Brooklyn Botanic Garden assures us that copper has no ill effects on soil or plants.)

Great Rooms





Bridge the gap from the kitchen to other rooms in the home with the uniting warmth of the woodgrains in your Wellborn cabinetry. As great rooms open into large kitchen/dining/ living areas, they should complement each other. Wellborn has cabinetry for every room in your home with design versatility that adds function to beauty. Choose from our 82 door styles in either oak, maple, cherry or hickory to create furniture-like additions in rooms adjacent to your kitchen or bath. Rooms that work together in a home are truly great rooms.









38669 Hwy. 77 • P.O Box 1210 • Ashland, AL 36251 1-800-336-8040 Ext. 951





Is Your Contractor Insured?

Liability and workers' compensation. By VICTOR MOORE



t jend of mine a successful contractor, keeps an old English poster tacked Ninety five percent of accidents happen in the home." regot it from a London subway in the 1960s and says "It was act laily part of a birth control campaign. I thought it would be good for remind .ng me that this job can be dangerous "

Accidents happen on the best-run construction lobs (Read the story of Norm Abram's Isladuring the building of his house, page 125 in this .ssue) It a contractor is uninsured the homeowner is liable for any proper ty damage or medical costs that ensue. If you want to protect yourself against this kind of risk ask every contractor who works in your house to carry both liab. ity and workers' compensation insurance

LIABILITY INSURANCE covers bodily injury and property damage—to anyone or anything—that occurs as a result of the contractor's work. If an open bucket of roofing rar gets knocked off the roof and into the neighbor's greenhouse (or onto the neighbor), the general contractor's hability insurance should pay for the damages. It doesn't cover faulty workmanship (it the roofer installs the wrong shingles, or just does a lousy job, liability insurance is no recourse, it doesn't cover injuries to workers on the job.

WORKERS' COMPENSATION INSURANCE covers injuries to the contractor and to his or her employees and subcontractors. If the roofer, not the bucket, falls and injures his back, workers' comp, not you, will pay the medical bus.

Proof of insurance is in the form of a certificate

issued free of charge by the insurer. Ask your contractor to produce one before signing a contract, check it against our example and then file it away sately for reference

Don't accept a photocopy of a certificate issued for another client, it should cite you and your job specifically so that you can be notified if there is any cancellation of reduction of coverage during the course of the work. If your contractor has insurance from two agencies-one for hability and one for workers' comp-make sure you get cert.ficates from both

The standard form for proof of insurance is the ACORD 25-8. The certificate will outline what type and amount of insurance your contractor carries. It will show the amount of coverage the contractor is carrying for liability insurance, and

does it matter'

If the work being done is too minor to warrant a building permit. requiring insurance is your choice (see "Going Bare," page 88, If you decide to do without). If it's a big job, your community may make the choice for you. Some states will not license contractors without insurance many communities will not issue **building permits** without proof of license and Insurance. If you proceed without a permit, you stand a chance of losing your certificate of occupancy. (We know; it happened to us.) Research your local rules, and follow them

what's a contractor? • general parlance, a contractor is someone hired to work on your house. A general contractor

(GC) is the person you hire to manage the whole job and to hire the individual tradespeople. Tradespeople hired by the GC are subcontractors and should be covered by the GC's insurance. If you hire them yourself, they are independent contractors and should carry their own policies.

tinances

what the monetary limits are for separate items such as personal mury, tire damage or medical expenses.

The aggregate, or the max mum amount that could be paid out by your contractor's insurance company, will also be listed on the form. Find out if this amount is linked to a period of time or to the project itself. A low maximum in a given time period added to an unlucky year can lead to a contractor without enough insurance left to cover any accidents on your job.


If the value of your project exceeds the amount of coverage, you may want the contractor to increase the policy limit while working on your property Remember that when a contractor adds more coverage for a specific project, the additional premium payment usually winds up on your bill.

The certificate will also real you the active dates of the policy. It your project extends beyond the date I sted, make sure you have an updated certificate before the old one expires.

In the workers' compensation section, check to see if the contractor him- or herse f is covered in many states, contractors can opt out of coverage if they are sole proprietors with no employees, part ners in the business, or major stockholders if the business is incorporated in theory, this exemption is only for deskbound executives, if your contractor is going to be at risk at any time, he or she should be covered by workers' comp.

The ACORD 25-S is not a perfect document,

now to read the certificate of liability



lacking the space to record all eventualities. The American Institute of Architects (202-626-7300) publishes a rider (AIA document G715) to the ACORD 25-5 that asks more specific questions regarding coverage and provisions of your contractor's insurance policy and outlines more thor oughly the responsibilities of each party. (We liked the section about Explosion, Collapse and Underground Hazards.) It your job is particularly large or you are particularly risk averse, it provides worthwhile additional protection.

if things go wrong

If a contractor, employee or subcontractor damages property in the course of a job, the contractor may pay for it and submit a claim to his insurar. If the contractor doesn't admit responsibility, the damaged

party's insurer must try to collect from the contractor's insurer. Bills for job-related injuries go to the company or state board that issued the workers' comp policy.

Claims over problems with completed work should go first to your homeowner's insurance provider. If a new roof leaks and ruins the drywall below, your insurer will usually issue you a check for the cost of repairing the damage and then collect from the contractor's insurer.
(Most liability policies spell out the limits to coverage and the time fimits for filing a claim; this is why you kept that certificate.)

Remember that the liability policy does not

cover faulty workmanship, so it won't pay for having the roof redone. (This gets into warranties, contractual penalties, arbitration and—as a last resort the civil court system, but that's another story.)

Finally, multimedia finds a home.

Landscape your part to the foreign of the control o

suppose the sand discrete one of the electric sand of the sand of

Tend as the eight feed to be young tend to be feel something

Example your mental me thanks payment for many house a layer was a better item.



Example 1 example 1 and a mode mode for the 1 to 1. Your garden, for starters Also to your kitchen bath and attic Books That Work titles apply the power of multimedia to do t-yourself projects to every part of your home. They feature animations and video demonstrations computer a ded design tools custom construction drawings parts lists.

cost estimates and one touch reference guides. The Wall Street journalist a new class of tallored task-oriented software" that "will solve real world problems." Want to know more! Just ask for Books That Work at your software retailer or home project center, or call us to lifnee at 800-242 4546 x144. Also see our World Wide Web site at http://www.btw.com.

Allome Repair

Home Repair Encyclopedia details more than 100 do-it-yourself home projects with video, animation, content and illustrations.



2 3D Landscape brings the power of Computer Aided Design and 3D visualization to your desixtop its multimedia howto guide is the ultimate software "cool" for any landscaping project.



3D Deck makes it easy for anyone to design and build a beautiful custom deck, while oilminating costly mistakes.



Popular Mechanics New Car Buyers Guide lets you compare more than 800 new cars, trucks and sport utility vehicles. Then it will calculate the exact dealer price for the model and options you select.



The Homebuyer's Guide helps you analyze every aspect of home buying, from searching and negotiating the best price to closing your financing



Garden Encyclopedia helps you select the perfect flower, vegetable or decorative plants from more than 1000 choices.

84

tinances

going bare

There are reputable and competent contractors who carry no insurance. Some hate the paperwork; others simply cannot afford to pay the premiums and stay competitive (Doctors who drop maipractice insurance for the same reasons say they are "going bare") If you choose one, you can try to

protect yourself in several ways.

Have a frank discussion with the broker who issued your homeowner's policy. You may already be covered for damage by a contractor; in a few states, your policy even (by law) includes workers comp. Ask

the broker about buy-

ing an umbrella policy

for extra liability coverage or an interim polidiscus- cy to last while the broker work goes on E ther one will cost more than \$200—but it s ady be still cheaper than a

Get the contractor to

sign a letter stating
that he will defend any
liability claims in connection with his negugence, and will cover

ar legal fees and pay any award granted (known as a "hold harmiess" clause). Be aware, though, that if the contractor has no assets, an injured party can pursue you instead, if the dontractor has assets, he's probably insured Some states will insure a homeowner for workers comp. Ca. 800-

942-4242 to see if your state is one

Some states also have funds to pay for damage by uninsured or underinsured contractors although the reimbursements are minimal. Contact your state's contractor licensing agency or consumer protection department for more details

state by state requirements

Many communities within the United States recognize the importance of liability insurance and workers compensation insurance by requiring proof of one or both before issuing a license to a contractor. Call your local building department or town hall for more information. The chart below lists liability insurance specifics for those states that require it. In Alabama, Arizona, Georgia, lowa, Louisiana, Massachusetts, Michigan, Montana. Nebraska, Nevada, New Jersey, New Mexico, North Carolina, South Carolina, Tennessee, Virginia and West Virginia, contractors can be licensed or registered without proof of liability insurance however, all states except Texas require contractors to have workers compensation insurance (some exempt contractors with fewer than three or five employees, most exempt sole proprietors). The following states do not require statewide licensing of general contractors and hence have no statewide fiability insurance requirements: Colorado, Idaho, Illnois, Indiana, Kansas, Kentucky, Maine, Missouri, New Hampshire. New York, Ohio, Oklahoma, Pennsylvania, South Dakota, Texas, Vermont, Wisconsin, Wyoming.

ALASKA Liability insurance of \$20,000 for property \$50,000 for personal injury for one person, \$100,000 for two.

ARKANSAS Residential contractors must have flability insurance of \$100,000.

CALIFORNIA Lability insurance required; amount varies by county.

CONNECTICUT Must have liability insurance; no minimum. Contractors must carry workers' compensation for subcontractors

DELAWARE Must have liability insurance; no minimum.

DISTRICT OF COLUMBIA Public liability in the amount of \$100,000: \$50,000 in properly damage.

FLORIDA Liability insurance required; no set amount.

HAWAII Liability insurance of \$50,000 for property damage; \$100,000 per person for personal injury. \$300,000 for each occurrence

MARYLAND Liability insurance in the amount of at least \$50,000.

MINNESOTA Contractors must carry at least \$10,000 in property damage, \$100,000 in liability insurance.

MISSISSIPPI Liability insurance of \$300,000 per occurrence, \$600,000 total.

NORTH DAKOTA Must provide proof of liability insurance; no minimum amount specified.

OREGON Liability Insurance of at least \$100,000 or \$500,000 depending on their classification.

RHODE ISLAND Liability insurance of at least \$300,000 combined single limit, bodily injury and property damage.

UTAH Liability insurance of \$100,000 per incident and \$300,000 total.

Property damage insurance of \$20,000; \$100,000 in bodily injury or death insurance

PANOTEST BEASON (TO BUT! PELLA WINDOWS & DOORS

Distinctively Pella... Options Under Glass.

Pella* Shmsbade* blmds and umdoupane dividers fit neatly between panes of giass



Raise & Lower Shimsbade blinds are perfect for Pella-Hingea and Stiding Doors.

You can add or change—under gass options anytime



1-800-54-PELLA
Call for a free brochure

Lmagine a window

blind that is protected from

dust-that can't be damaged by httle hands (or paws!),


or blown by wind. Too good to be true? Not if you own beautiful Pella' Doors

with Shimshade blinds under glass. Quality like this only comes from Pella.



CODE C577Z5CD

WASHINGTON





Fruth he told this valley is not only perfect for growing the grapes we need to make Chandon its perfect for drinking it. Line and is selected and at our four-star restaurant and jour I have our proof. Please call I 800 736 2832 for information or reservations. Chandon Methode Champenoise. Domaine Chandon, Jountonie California.

REQUIRE BRIGHT SUN.

COOL MORNINGS

AND SPRING SHOWERS.

WE FIND THESE CONDITIONS

ARE ALSO EXCELLENT

FOR MOST

VARIETIES OF HUMANS.



Brooke Deterline

Come to Chandon and you will see.

A LETTER FROM

This Old House

RENOVATOR'S DISEASE MAY be incurable. What's worse, all of us at This Old House seem to have it Renovator's disease is the mability to stop working on your house even when it makes no economic sense to keep doing so Russ Morash, who created the show in 1979 and still directs it, may have the worst case; he has continually renovated his 1800s farmhouse since he bought it in 1975. Master Carpenter Norm Abram is building a new house (there's a story about it in this issue), it has been in process for so long now (four years) that it is starting to qualify as

a renovation Steve Thomas, our host, does finish his projects—pursuing them with maniacal
singlemindedness. He then immediately embarks
on another one, which, like all the rest, begins
innocently and then expands to three times the
intended scope, not to mention cost.

This Old House is our house too, and we tinker with it constantly. What you have in your hands is our latest addition. This Old House, the magazine. In the sixteen years we've been on the air, we've often wanted a print companion—a place to

tell the stories we come across but don't have time for in a half-hour show, or to provide the details that just don't translate well to TV

So, welcome Please make yourself at home And let us know what you think. Like our own houses, This Old House is a work in progress.

It will never be finished, because we will always be "amproving" it.



Jill Priluck and Nancy McCarthy



Tim Jones





chosing materials

THE REPORT OF THE PROPERTY OF



This Old House host Steve Thomas uses a nalter on window jamb extensions.

Renovation in this part of the house often focuses on cabinetry, but countertops and floors have much more impact on style and utility.

DENNIS DUFFY, A 47-YEAR-OLD mortgage broker in Napa, California, had a modest dream a brighter kitchen While most of his 1906 farmhouse retained its charm, the kitchen had been blighted by a 1960s renovation. The pseudo-brick vinyl tile floor, copper-colored app. ances and brown laminate countertops had to go maybe a few more windows?


While he was dreaming, Dennis saw an article in the Napa Register newspaper, and before long his kitchen had become the site of a This Old House renovation. The show's producer introduced Dennis to designer John Lain, who argued for a more extensive revamp. Soon Dennis was making "50 decisions a day," mostly about the materi-

a.s for a kitchen that was about to grow from 436 square feet to 640, including a new utility room and bathroom. Choosing between four shades of green countertop can be harrowing, but Dennis loved it: "I felt like a kid in an EA O. Schwartz toy store."


Dennis's affability in the midst of a renovation was due not only to his nature, but also to manufacturers eager for credits on the show. They donated everything from cabinets to a refrigerator—leaving Dennis free to include his tastes. He picked soft green solid surface countertops, windowpane-trimmed oak floors and white wood cabinets. Though the clean, spare, modern kitchen now contrasts jarringly with the dark, antique coziness of the rest of the house, he's delighted

The rest of us have a better shot at winning the lottery than of luring *This Old House* into renovating our old kitchens. For us, selecting kitchen materials requires balancing tastes and budgets. Steve Thomas, coauthor of *This Old House Kitchens*, believes fiscal limits aren't necessarily bad, and says there is no single best countertop, flooring or cabinet. When remodeling a kitchen, he says, "you have an opportunity to accommodate—and celebrate—your family's way of doing things."

COUNTERTOPS



FLOORING



VIRTUAL KITCHENS



STAINLESS MAN-MADE SLAB HIGH-PRESSURE

countertops

CHOICES

1. STAINLESS STEEL

INSTALLATION: Glued to plywood substrate; professional installers form edges and backsplash.

PROS: Stain-proof; scorch-proof; difficult to dent; industrial appearance.

CONS: Fabrication is expensive; industrial appearance.

PRICE; \$100 per lineal foot, installed.

2. MAN-MADE SLAB

("FireSlate")

INSTALLATION: Same as stone slab.

PROS: Very durable; resists heat, scorehing, etching, staining.

CONS: Unusual in homes; installers may be inexperienced; may appear more commercial than residential.

PRICE; \$23 per square foot, plus installation.

3. HIGH-PRESSURE LAMINATE

(Formica, Wilsonart, Micarta)

INSTALLATION: Sheets are glued to medium- or high-density fiber-board backing; ready-made lengths available at home centers.

PROS: Inexpensive; widely available; tough surface; wide range of colors, patterns and textures; easy to clean; well-suited to most cooking tasks.

CONS: Hard to repair; not suitable for cutting; brown edge may show at seams; can be scorched by hot pots.

PRICE: \$20-\$45 per lineal foot, installed.

4. STONE SLAB

(granite or marble)

INSTALLATION: Same as wood,

but base cabinets may have to be reinforced to support extra weight.

PROS: Long-lived; luxurlous in appearance; impervious to scorching; good for baking areas.

CONSt Expensive; hard; cold; marble may etch or stain if improperly spaled.

PRICE: \$150 and up per lineal foot, installed.

5. CONCRETE

INSTALLATION: Poured into molds, removed and installed like stone slabs.

PROS: Scorch-proof; hard to scratch; looks like stone slab at lower cost.

CONS: Edges can chip; must be sealed regularly.

PRICE: \$75-\$200 per lineal foot, installed.

6, WOOD

(such as butcherblock)

INSTALLATION: Screwed in place or secured with silicone adhesive.

PROS: Natural warmth; resilient surface; damage can be sanded away; good for chopping.

CONS: Susceptible to warps and cracks, stains, water damage and bacteria buildup (unless disinfected regularly); should not be used near sinks.

PRICE: \$50-\$60 per lineal foot, installed.

7. SOAPSTONE

INSTALLATION; Same as stone slab

PROS: Authentic material for 19thcentury-style kitchen; resists heat.

CONS: Experienced installers are rare; stains easily; challenging to maintain; more susceptible to cracking and chipping than harder stone.

PRICE: \$140 per lineal foot, installed.

8. EXOTIC METALS

(zinc, copper, rusted steel)

INSTALLATION: Same as stainless steel.

PROS; Durable; scorch-proof.

CONS: Must be thoroughly waxed and sealed for food safety; zinc stains badly and is recommended for bars only, not food preparation, because zinc layer is only 1/2 Inch over steel.

PRICE: \$60 and up per lineal foot, installed.

9. CERAMIC TILE

INSTALLATION: Should be laid on cement backer board or in a bed of mortar—not glued directly to plywood or particleboard.

PROS: Inexpensive; durable; resists heat and scratches; easy to clean,

CONS: Professional installation adds to cost; can chip; grout may discolor; requires sealing; uneven surface makes baking tasks difficuit.

PRICE: \$5-\$25 per square foot.

10. SOLID SURFACING

(Avonite, Corian, Surell)


INSTALLATION: Factory-licensed shops fabricate.

PROS: Seamless; very durable; easy to clean and repair; resists scorching; sinks of the same material can be glued to underside of counter, giving seamless bond.

CONS; Expensive; makers discourage do-it-yourselfers.

PRICE: \$100-\$200 per lineal foot, installed.

Countertops are often measured by the lineal foot; a 25-inch-deep section that is one foot wide.



So it's smart to put different sorts of countertops in locations that make the best use of their strengths. Ceramic or stone tile can go next to stoves, so hot pans can be placed there. Butcherblock can be set into an island surface meant for lots of slicing and chopping. (Duffy's island has two such inserts.) Laminate or solid surfacing can be used everywhere else. Another solution is pullouts. Steve likes a kitchen he saw with lavish polished granite counters and no fewer than six pull-out cutting boards at key points around the room.

Countertops that meet a wall commonly have a backsplash—a vertical section about four inches high to guard against spills. But it makes sense to go higher. In the Duffy kitchen, the Avonite backsplash behind the cooktop extends

EKOTIC METALS

CERAMIC

SOLID

up to the ventilating hood. Elsewhere it reaches to the bases of windowsills. And there's no rule that backsplashes must be made of the same material as counters. One of Steve's favorite small kitchens, squeezed into an urban closet, uses mirrors as backsplashes to expand the sense of space.



A level countertop begins with a level cabinet. Steve taps a wood shim under a cabinet corner to raise it, checking his progress as he goes.

THE ART OF THE SOLID SURFACE

The architect's drawings originally specified granite countertops, but at \$250 per lineal foot installed, the \$12,000 price seemed too high even for donated material. So Dennis went with Avonite, a solid-surface synthetic. The color used was slate-green with a black detailing stripe. The edge is builnosed with cove molding.

First, installer Kara Raymond made a cardboard template to record sizes, sink cutouts and wall irregularities. In her fabrication shop, she used the template to lay out the counters. Although a skilled do-it-yourselfer could craft solid-surface material with woodworking tools, manufacturers are wary of amateurs who make mistakes and then demand refunds. That's why it's difficult to buy such materials in home-improvement stores.

Kara also attached four-inch-wide, %-inch thick plywood strips to the counter's underside, raising the finished height to a standard 36 inches. Back in the kitchen, she joined large sections of the countertop with pigmented two-part glue. Then she sanded it smooth and glued the countertop assembly to the base cabinets with silicone.

CHOICES



1. HARDWOOD

(including oak, cherry, birch, maple and hard yellow pine; laminated or solid strips, square tiles)

INSTALLATION: Strips are nailed, glued or screwed to subfloor; tiles are glued.

PROS: Warm underfoot; not as hard as stone or tile; polyurethane finishes resist stains and water damage.

CONS: Frequent refinishing may be required; may squeak if badly installed; shows wear; dirt collects in grooves and cracks.

PRICE: \$5-\$15 per square foot, installed.



6. CORK TILE

INSTALLATION: Laid like vinyi tile.

PROS: Soft underfoot; good heat and noise insulation; renewable resource,

CONS: Less durable than some options; unfinished cork requires frequent sweeping.

PRICE: \$2-\$6 per square foot, installed.



2. CERAMIC & STONE TILE


(includes terra cotta, granite, marble, slate, pigmented concrete, quarry, saltillo and terrazzo tites)

INSTALLATION: Often set in thin mortar layer on backer board; seams filled with cement- or epoxy-based grout.

PROS; Durable; impervious to dents and scratches.

CONS: Hard surface; cold underfoot; noisy; dirt can collect in grout; can be costly.

PRICE: \$5-\$25 per square foot, on average; some tiles cost \$100 per square foot.



7. TERRAZZO

INSTALLATION: Mix of marble chips with cement or resin base poured in place; cement base requires concrete substrate; epoxy base requires only plywood; surface is ground smooth,

PROS: Very durable; can be sended or sealed to look like new.

CONS: Installers are rare: installation creates "a hellacious mess"; expensive.

PRICE: \$25 and up per square foot, installed.




3. LINOLEUM

INSTALLATION: Laid like sheet vinyl, but joined with heat, not chemical adhesives.

PROS: Inherently antiseptic; pleasant linseed oil smell; no man-made ingredients; solvent-

CONS: Now a specialty product, so difficult

PRICE: \$4-\$5 per square foot, installed.



8. RUBBER

INSTALLATION: Laid like vinyl in sheets or

PROS: Durable; almost maintenance-free; comfortable underfoot; resists spills; many textures available; industrial took,

CONS: Can be cut by sharp objects; indus-

PRICE; \$5 and up per square foot, installed.



4. VINYL TILE

INSTALLATION: Glued to subflooring; tiles butt, edge tiles cut to fit; patterns need careful planning; classic do-it-yourself project.

PROS: Simple to install; easy to repair; wide range of color and pattern options.

CONS: Poorly installed tiles can crack or lift; floor has many seams.

PRICE: \$2-\$10 per square foot, installed.



INSTALLATION: Glued to subfloor-challenging for amateurs.

PROS: Inexpensive; soft underfoot; easy to clean; few seams.

CONS: Slippery if wet; can be cut or sliced by sharp objects; may last only 10 years; subfloor flaws show if poorly installed; smelly when new.

PRICE: \$2-\$10 per square foot, installed.



9, CARPETING AND AREA RUGS

INSTALLATION: Carpet laid as in other rooms; rugs require nonskid pads.

PROS: Inexpensive; quick to install; soft underfoot; easily replaced.

CONS: Distinctly unhygienic; may retain odors from cooking or spills.

PRICE: \$1-\$4 per square foot, installed.



10. EPOXY

INSTALLATION: Squeegeed or rolled in place by professionals.

PROS: Durable; no seams to collect dirt.

CONS: May be difficult to find experienced installer, abrasive surface.

PRICE: \$5-\$9 per square foot, installed.



HARDWOODS AND HARD WORK

The Duffy kitchen floor was laid with quartersawn two-inch-wide white oak strips. First, a kraft-paper vapor barrier was placed over the %-inch plywood subfloor. Then workers drove in a pair of one-inch steel finishing nails every seven inches along the top of each oak strip. To save money, no flooring was laid where cabinets would sit (below). The border trim (above) featured a pair of %-inch strips of Peruvian walnut, installers used a vintage 1940s machine called a Cavanaugh; the operator whacked a plunger on the top with a onepound mallet to drive in and countersink nails 1/4 inch below the surface of the strips. The resulting dimples, and any other tiny gaps, were then filled with wood putty and the whole floor was drum-sanded. The first coat was a thick high-build sealer specifically formulated to bulk up the finish. Then came three costs of less viscous, waterborne urethane. Most wood floors are now made from %-Inch-thick strips with tongue-and-groove edges that lock together. Nails don't show because they're driven diagonally. But Duffy's dining room and parlor, which adjoin the kitchen, have far thinner %-inch-thick flooring, so the kitchen strips are similarly thin to avoid toe-stubbing thresholds.



visualizing your kitchen

VIRTUAL KITCHENS

Most architects still produce handdrawn renderings of their designs, but a few now offer computergenerated 3D simulations as well. This new technology lets users "walk" through a computerrendered image of a space shown on screen. In many cases, owners and occupants can identify spatial layout problems or specify new design requirements before any work is done.

The Duffy kitchen was first simulated (top) when David L.

Munson, a longtime fan, approached This Old House and volunteered to do it. He was eager to show off his work at the advanced technology group of Hellmuth, Obata, Kassabaum (HOK)—one of the world's largest architectural firms. The firm's software, which runs on powerful

scientific workstations, had been used mostly to depict high-end laboratories costing up to \$600 per square foot. Munson spent more than 200 hours entering data from the blueprints of the first version of the design. He estimates that his time would have cost a client \$30,000.

Some cabinet showrooms and home centers offer 3D modeling programs that display their cabinets as they would look installed in shoppers' own kitchens, based on a simple floor plan. Shoppers are often given a printout of the simulated design to take home.

If you want to do it yourself, the cost drops considerably—to about \$60, the price of 3D Home Architect, from Brederbund Software, which is the best-selling 3D home simulation program on the market. (You'll need a PC running Windows, too.) We asked Brederbund to

model the final version of the Duffy kitchen using 3DHA (middle). It took an experienced user about five hours to enter the data; a novice requires at least twice that.

Viewers may recall that Norm Abram, when viewing HOK's model, questioned the location of a support pillar that limited the size and accessibility of the breakfast nook. The final kitchen (bottom) doesn't have the pillar. As desktop computers gain power, home users may soon be able to do as Norm did: identify flaws in a design before the first nail is driven.



high-tech computer simulation

BLUEPRINT INSERT

The folded insert shows several views of the Duffy house plans. The full set of architectural drawings and specifications ran some 20 pages, but these are representative of the drawings an architect would use to help a client visualize a project.

The four house exteriors are called elevations, and they immediately reveal a limitation of such flat-on views. In the elevation showing the west wall of the completed kitchen, the two sets of

French doors appear flush with the back wall. There's nothing in this drawing to indicate that the doors on the left are set back 3 feet 6 inches, and those on the right recessed 8 feet 6 inches. To get that information, you must inspect the "Proposed Floor Plan," but that still

isn't enough to allow anyone unaccustomed to such renderings to envision the kitchen.

For that you'll need an axonometric drawing. (While architects routinely draw them, this wasn't part of Dennis's original plans. It was commissioned for \$500 by This Old House magazine.)

It's important to note that this isn't a true perspective view, in which parallel lines would, if extended, eventually meet at vanishing points. The axonometric drawing is simply a perspective-free tilt-up from two dimensions. There's only a small difference

between this and what the eye sees, although for much greater square footage, a true perspective might be helpful. If these views aren't enough, you can ask for a scale model, but that naturally drives up costs. Robert Livingston of Architectural Associates, the firm that prepared

the drawings, says he knows of one high-end architect who builds up to 10 models of each residential project he designs.

All these drawings were done by hand, but Livingston says his office—and many others—are installing computer-aided design, or CAD, systems. Traditionalists may sniff that CAD removes the art from architecture, but its ability to crank out drawings from any perspective inexpensively can help to quiet the age-old plaint of the client: "That's not how I imagined it!"



the home computer version



Dennis Duffy's finished kitchen



LOCATION MAP

